POWER

Power Supplies & Relays 453-466
Transformers 466
Uninterrupted Power Supplies (UPS) 467-468
Surge Protection 468-472
Batteries 473-477

POWER
LINE CARD

(B6) ACT Meters
(3T) Advanced Sourcing, Inc.
(AK) Alarm Saf
(AX) Altronix
(4A) Direct UPS
(DK) Ditek
(ZI) Energizer
(ZI) Eveready Industrial / Energizer
(0H) Honeywell Power Products
(KA) Interlogix/Kalatel
(J7) LifeSafety Power

(7M) Max Power Cell
(MB) MG Electronics
(R1) Minuteman / Para Systems
(PW) Power-Sonic
(3P) Preferred Power Products
(RV) Revere Industries
(SN) Securitron
(TC) TrippLite
(IM) Ultratech
(OE) W Box Technologies
(UZ) Yuasa Battery Inc.

ADI GLOBAL DISTRIBUTION

1.800.233.6261
adiglobal.com/us

New Vendor

* As of November 2014

Advanced Sourcing

ASRB-1 and ASRB-1x5

- 6, 12 ,24VDC at 25 mA max coil current, DPDT (form 2C) contacts rated at 2 Amps max

3T-ASRB1 (ASRB-1)

Altronix

Power Distribution Module

- 12VDC/24VDC up to 10 Amp, or 24VAC/28VAC up to 12 Amp. Eight (8) fuse protected outputs.
- Fuses are rated @ 3.5 Amp (up to 5 Amp fuses may be used), surge suppression

AX-PD8UL (PD8UL)

Altronix

Access Power Controller

- 12VDC or 24VDC operation
- Eight (8) independently controlled fuse protected outputs
- Fire alarm disconnect - selectable by output

AX-ACM8 (ACM8)

Altronix

Relay Module

- 12VDC or 24VDC selectable operation
- Coil draws 15mA
- 1 Amp/120VAC or 2 Amp/28VDC DPDT contacts

AX-RBSN (RBSN)

Altronix

Relay Module

- 12VDC or 24VDC selectable operation
- 3VDC to 24VDC - 2mA-16mA isolated trigger
- 1 Amp/120VAC or 2 Amp/28VDC DPDT contacts

AX-RBSNTTL (RBSNTTL)

Altronix

Relay Module

- 6VDC, 12VDC or 24VDC selectable operation
- Coil draws 30mA
- 1 Amp/120VAC or 2 Amp/28VDC DPDT contacts

AX-RBST (RBST)

Altronix

Relay Module

- 12VDC or 24VDC selectable operation
- Coil draws 75mA
- 5 Amp/220VAC/28VDC DPDT contacts

AX-RB1224 (RB1224)

Altronix

Relay Module

- 6VDC or 12VDC selectable operation
- Coil draws 120mA
- 5 Amp/220VAC/28VDC DPDT contacts

AX-RB5 (RB5)

Altronix

Relay Module

- 24VDC operation
- Coil draws 40mA
- 5 Amp/220VAC/28VDC DPDT contacts

AX-RB524 (RB524)

POWER WITH ENHANCED FEATURES

eFLOW™

security / access / fire

- Wide range of power configurations with single or multiple outputs
- Over voltage protection guards against equipment damage
- Built-in supervised fire alarm disconnect
- Low battery cutoff

Optional (AX-LINQ2) Network Communication Module
- eFlow status monitoring, reporting and control

Altronix®

More than just power.™

ADI GLOBAL DISTRIBUTION

Made in the U.S.A. - altronix.com - Lifetime Warranty

Altronix



Relay Module

- 12VDC or 24VDC selectable operation
- Coil draws 50mA
- 10 Amp/120VAC/28VDC SPDT contacts
- Each cluster contains six relay modules

AX-RB610 (RB610)

Altronix

Power Supply/Charger

- 6VDC, 12VDC or 24VDC selectable output
- 1.2 Amp @ 6VDC or 12VDC or 0.75 Amp @ 24VDC. Built-in charger for sealed lead acid or gel type battery backup.

AX-AL624 (AL624)

Altronix

Power Supply/Charger

- 6VDC, 12VDC or 24VDC selectable output
- 2.5 Amp continuous supply current
- Built-in charger for sealed lead acid or gel type battery backup

AX-SMP3 (SMP3)

Altronix

Power Supply/Charger

- 6VDC, 12VDC or 24VDC selectable output
- 4 Amp continuous supply current
- Built-in charger for sealed lead acid or gel type battery backup

AX-SMP5 (SMP5)

Altronix

Power Supply/Charger

- 12VDC or 24VDC selectable output
- 10 Amp continuous supply current
- Built-in charger for sealed lead acid or gel type battery backup

AX-SMP10 (SMP10)

Altronix

Access Control Power Supply/Charger

- 12VDC @ 1.75 Amp of continuous supply current
- Class 2 Rated power limited output
- Built-in charger for sealed lead acid or gel type battery backup. AC fail & low battery supervision.

AX-AL201UL (AL201UL)

Altronix

Access Control Power Supply/Charger

- 12VDC or 24VDC @ 1.75 Amp supply current
- 2 PTC protected Class 2 Rated power limited outputs. Dry trigger input.
- AC fail, dry trigger output supervision

AX-AL175ULX (AL175ULX)

Altronix

Power Supply/Charger

- 12VDC or 24VDC @ 2.5 Amp continuous supply current. Class 2 Rated power limited output.
- Built-in charger for sealed lead acid or gel type battery backup.

AX-AL300ULX (AL300ULX)

Altronix

Power Supply/Charger

- 12VDC or 24VDC @ 6 Amp continuous supply current
- Built-in charger for sealed lead acid or gel type battery backup

AX-AL600ULX (AL600ULX)

Power Supplies & Relays

Altronix

Multi-Output Power Supply/Charger

- 12VDC or 24VDC @ 6 Amp continuous supply current
- Eight (8) fuse protected outputs. Built-in charger for sealed lead acid or gel type battery backup.

AX-600ULPD8 (AL600ULPD8)

Altronix

Multi-Output Power Supply with Fire Alarm Interface

- 12VDC or 24VDC @ 2.5 Amp supply current
- 5 PTC protected Class 2 Rated power limited outputs. AC fail low battery and battery presence supervision.

AX-AL300ULM (AL300ULM)

Altronix

Multi-Output Power Supply with Fire Alarm Interface

- 12VDC or 24VDC @ 6 Amp supply current
- 5 PTC protected Class 2 Rated power limited outputs. AC fail low battery and battery presence supervision.

AX-AL600ULM (AL600ULM)

Altronix

Access Power Controller with Power Supply

- 12VDC @ 4 Amp or 24VDC @ 3 Amp supply current. Eight (8) independently controlled fuse protected outputs. Fire alarm disconnect selectable by output.

AX-400ULACM (AL400ULACM)

Altronix

NAC Power Extender

- 24VDC @ 6.5 Amp max. total alarm current; Class 2 Rated power limited outputs; 2 Class A or 4 Class B indicating circuits. Built-in sync protocols.

AX-AL602ULAD (AL602ULADA)

Altronix

NAC Power Extender

- 24VDC @ 8 Amp max. total alarm current; Class 2 Rated power limited outputs; 2 Class A or 4 Class B indicating circuits. Built-in sync protocols.

AX-AL802ULAD (AL802ULADA)

Altronix

Power Supply/Charger

- 4 Amp @ 12VDC or 3 Amp @ 24VDC
- Class 2 rated power limited output
- AC fail, low battery and battery presence supervision

AX-AL400ULX (AL400ULX)

Altronix

AC CCTV Power Supply

- 24VAC or 28VAC selectable
- 8 Amp @ 24VAC or 7 Amp @ 28VAC supply current. Surge suppression.
- Sixteen (16) fuse protected outputs

AX-ALTV2416 (ALTV2416)

Altronix

AC CCTV Power Supply

- 24VAC or 28VAC selectable
- 4 Amp @ 24VAC or 3.5 Amp @ 28VAC supply current. Surge suppression.
- Four (4) fuse protected outputs (rated @ 3.5 Amp)

AX-ALTV244 (ALTV244)

Altronix

AC CCTV Power Supply

- 24VAC or 28VAC selectable
- 3.5 Amp @ 24VAC or 3 Amp @ 28VAC supply current
- Four (4) fuse protected outputs (rated @ 3.5 Amp)

AX-ALTV244UL (ALTV244UL)

Altronix

AC CCTV Power Supply

- 24VAC or 28VAC selectable
- 4 Amp @ 24VAC or 3.5 Amp @ 28VAC supply current. Surge suppression.
- Eight (8) fuse protected outputs

AX-ALTV248 (ALTV248)

Altronix

AC CCTV Power Supply

- 24VAC or 28VAC selectable
- 3.5 Amp @ 24VAC or 3 Amp @ 28VAC supply current
- Eight (8) fuse protected outputs

AX-ALTV248UL (ALTV248UL)

Altronix

DC CCTV Power Supply

- 12VDC @ 5 Amp output
- 4 PTC protected power limited outputs (rated @ 2.5 Amp). 115VAC or 230VAC input.
- 3-wire line cord with integral strain relief

AX-SAV4D (SAV4D)

Altronix

DC CCTV Power Supply

- 12VDC @ 5 Amp output
- 9 PTC protected power limited outputs (rated @ 2.5 Amp). 115VAC or 230VAC input.
- 3-wire line cord with integral strain relief

AX-SAV9D (SAV9D)

Altronix

AC CCTV Power Supply

- 24VAC or 28VAC selectable
- 7 Amp @ 24VAC or 6 Amp @ 28VAC supply current
- Sixteen fuse protected outputs (rated @ 3.5 Amp)

AX-TV2416ULX (ALTV2416ULX)

Altronix

Access Control Power Supply/Charger

- 12VDC or 24VDC @ 1.75 Amp supply current
- Two PTC protected Class 2 Rated power limited outputs. Dry trigger input.
- AC fail, dry trigger output supervision

AX-AL175UL (AL175UL)

Altronix

Access Power Controller with Power Supply

- 12VDC or 24VDC @ 6 Amp supply current
- Eight (8) independently controlled fuse protected outputs
- Fire alarm disconnect - selectable by output

AX-600ULACM (AL600ULACM)

Altronix

Access Power Controller with Power Supply

- 12VDC or 24VDC @ 6 Amp supply current
- Eight (8) independently controlled PTC protected outputs
- Fire alarm disconnect - selectable by output

AX-600ULACMB (AL600ULACMCB)

Power Supplies & Relays

Altronix

Power Distribution

- Up to 28VAC or 28VDC operation @ 12 amp max
- Eight (8) individually fused outputs
- Fuses rated @ 3.5 amp/250V

AX-PD8 (PD8)

GET IT NOW!

DynaLock For Life

Dual Voltage 1 Amp Power Supply

- Selectable 12 or 24VDC, regulated, filtered output
- Emergency shutdown input, built-in battery charging circuit
- 15" x 12" x 4" hinged cover enclosure, DynaLife® lifetime warranty

DY-5025 (5025)

MEA approved UL

DynaLock For Life

Expandable Dual Voltage Power Supply

- Selectable 12VDC/3 Amp or 24VDC/2 Amp regulated, filtered output
- Emergency shutdown input & battery charging circuit
- Expandable up to 10 door/lock zones
- 15" x 12" x 4" hinged cover enclosure
- DynaLife® lifetime warranty

DY-5500 (5500)

MEA approved UL

EATON

Wheelock 8 Amp Power Supply

- 4 Class B, 2 Class A circuits, integrated synchronization bus, UL 864, 9th Edition, true input follower mode. Distinguishable ground fault diagnostics.

WH-PS8 (PS-8)

GET IT NOW!

WH-105534 (PS-EXP)

- WH-105534 expansion board to expand to 8 Class B or 4 Class A circuits

ELK PRODUCTS

Low Battery Cutoff & Master Power Switch

- Works with any 12V control panel
- Automatic low battery cutoff
- Quick shutdown with master power switch
- Lifetime limited warranty

EK-965 (965)

GET IT NOW!

ELK PRODUCTS

Sensitive Relay (4-Pack)

- DPDT (Form "C") dry contacts
- Operates from 12 or 24 VDC
- Super low 1.2mA trigger; positive or negative input trigger. Lifetime limited warranty.

EK-9244 (924-4)

GET IT NOW!

EverFocus

AD-1S Power Supply

- 12VDC
- 500 Mili-Amps, regulated PS Slim

F8-AD1S (AD-1S)

GET IT NOW!

FIRE-LITE ALARMS by Honeywell

Remote Power Supply/Sync

- UL Listed for 2 operating modes
- 4/6 Amps in standalone & 6/8 Amps in expander mode
- Integral battery charger up to 18AH

FL-FCPS24FS6 (FL-FCPS24FS8)

FL-FCPS24FS8 (FCPS24FS8)

MEA approved UL FM

GET IT NOW!

Honeywell

Security Relay Modules

- 40mA coil

0H-HRB5 (HRB5)

- DPDT 6/12VDC/120VAC @5A

0H-HRB1224 (HRB1224)

- DPDT 12/24VDC/120VAC @5A

0H-HRB610 (HRB610)

- SPD 6-pack cluster-snap apart
- 12/24VDC/120VAC @10A. 50mA coil.

Honeywell

Video Surveillance Power Supplies

- 4.8 & 16 outputs @ 4.0A total
- Converts 110VAC to 24VAC
- 3A auto fuses per output with 5A main fuse
- Replace "E" with "CBE" for 2.5A circuit breakers

0H-HPTV2408E (HPTV2408E)

0H-HPTV2416E (HPTV2416E)

Honeywell

Video Surveillance Power Supply

- 4 fuse protected output
- 2.5A @ 12VDC total supply current
- 115VAC
- 3-wire line cord with integral strain relief

0H-HPV3DC4UL (HPV3DC4UL)

Honeywell

Video Surveillance Power Supply

- 8 fuse protected output
- 4A @ 12VDC total supply current
- 115VAC
- 3-wire line cord with integral strain relief

0H-HPV5DC8UL (HPV5DC8UL)

Honeywell

Video Surveillance Power Supply

- 16 fuse protected output
- 4A @ 12VDC total supply current
- 115VAC
- 3-wire line cord with integral strain relief

0H-HPV5DC16U (HPV5DC16UL)

Honeywell

Power Supply

- Provides six or 12VDC, 1.2 Amps continuous output to power devices, transformer purchased separately, factory preset at 13.6VDC, with jumper set to 12VDC, battery supports a standard 4AH gel cell battery, transformer required - 6V operation 12VAC, 20VA (Model 1322/FT3), 12V operation - 16.5VAC, 40VA (Model 1361), fuse - 3 Amp fast blow fuse (Model FP1166)
- Board dimensions: 4" x 2" x 1.75"

AD12612

Honeywell

Power Supply

- Provides 12 or 24VDC, 2.5 Amps continuous output to power devices, transformer purchased separately, battery supports a standard 4AH gel cell battery transformer required: XF30 is recommended and can be used for either 12 or 24VDC operation (1451-24, in red cabinet), fuse - 6 Amp (Part #N9544), 5 Amp (Part #90-9)

AD25624

Honeywell

Power Supply/Charger Boards

- Select transformer for desired output. Full LED troubleshooting diagnostics.

0H-HPL624 (HPL624)

- 6 or 12VDC @ 1.2A max 24VDC @ .75A

0H-HPS5 (HPS5)

- 6/12/24VDC @ 4A

0H-HPS3 (HPS3)

- 6/12/24VDC @ 2.5A

Honeywell

6 Amp Distributed Power Module

- 6A 24VDC F/A NAC power supply
- Advanced switch mode design reduces damaging heat and manages power up to 50% more efficiently

0H-F602ULADA (HPF602ULADA)

Honeywell

Multiple Output Access Control Power Supply

- Includes OH-ACM4 or OH-ACM8 module

0H-400ACM4 (400ACM4)

- 4 PTC outputs 12/24VDC @ 4A

0H-HP600ULA8 (HP600ULA8)

- 8 PTC outputs 12/24VDC @ 6A

Power Supplies & Relays

Honeywell

6 Output Power Supply/Chargers

- 12 or 24VDC @ 2.5, 4 or 6A
- Includes 6 PTC output OH-MOM6 module
- AC fail & bat trouble supervision

0H-HP300ULM (HP300ULM)

0H-HP400ULM (HP400ULM)

0H-HP600ULM (HP600ULM)

Honeywell

Single Output Power Supply/Chargers

- 12 or 24VDC @ 2.5, 4.0 or 6.0A supply current
- AC fail & battery trouble supervision
- Full LED diagnostics; fused power disconnect

0H-HP300ULX (HP300ULX)

0H-HP400ULX (HP400ULX)

0H-HP600ULX (HP600ULX

Honeywell

Honeywell Power, DC Video Power Supply

- Provides 12VDC at 5.5 amps
- Four Class 2, power limited outputs
- Removable output terminal blocks
- UL listed

0H-HP1205U4

Honeywell

Honeywell Power, DC Video Power Supply

- Provides 12VDC at 5.5 amps
- Eight Class 2, power limited outputs
- Removable output terminal blocks
- UL listed

0H-HP1205U8

Honeywell

Honeywell Power, DC Video Power Supply

- Provides 12VDC at 11 amps
- Sixteen Class 2, power limited outputs
- Removable output terminal blocks
- UL listed

0H-HP1210U16

Honeywell

Access Control Power Supply Kit

- Field selectable for 6VDC or 12VDC at 2.5 Amps or 24VDC at 1.0 amp. Includes a plug in transformer, power supply board and 5AH, 12V battery.

0H-HP312CX

interlogix

truVision Line Power Supplies

- Power-coated aluminum with stainless steel door

KA-TVPS412DC (TVPS-4-12DC)

KA-TVPS812DC (TVPS-8-12DC)

KA-TVPS16121 (TVPS-16-12DC)

KA-TVPS0124A (TVPS-01-24AC)

legrand®

Power Supply

- Powers standard On-Q LyriQ system modules, LCD module, Integration and Integration modules
- 24VDC, 2.5 Amps
- 60W

H4-PW1060 (PW1060)

LifeSafety Power



FlexPower Smart Power - CCTV

J7-FPA10A8E5 (FPA100A-A8E5)
J7-FPA150A8E (FPA150A-A8E5)
J7-FPA30A28E (FPA300A-2A8E5)
J7-FPA150AR8 (FPA150AR-A8E1)
J7-FPA30A2A8 (FPA300AR-2A8E1)

LifeSafety Power

FlexPower Smart Power - Egress Control

J7-FPO75F8E1 (FPO75-F8E1)
J7-FPO75F8P1 (FPO75-F8PE1)
J7-FPO150F8E (FPO150-F8E1)
J7-FPO150F8P (FPO150-F8PE1)
J7-FP250F8E1 (FPO250-F8E1)
J7-FPO250F8P (FPO250-F8PE1)

LifeSafety Power

FlexPower Smart Power - Access Control

J7-FPO75C8E1 (FPO75-C8E1)
J7-FPO75C8PE (FPO75-C8PE1)
J7-FPO150C8E (FPO150-C8E1)
J7-FPO150C8P (FPO150-C8PE1)
J7-FPO250C8E (FPO250-C8E1)
J7-FPO250C8P (FPO250-C8PE1)

LifeSafety Power

FlexPower Smart Power Supplies

- Modular/Expandable/IP Ready/TruWatt Power
- 12/24VDC select with continuous and switched outputs

J7-FPO75E1 (FPO75-E1)
- 3A/24V or 6A/12VDC

J7-FPO150E1 (FPO150-E1)
- 6A/24V or 12A/12VDC

J7-FPO250E1 (FPO250-E1)
- 10A/24V or 20A/12VDC

MG ELECTRONICS

Power Supply

- Power Supply 4 camera dist 12VDC
- 800 MA per output

MB-HPS124UL (HPS124UL)

*Also available: 24VAC
MB-DPS124UL

MG ELECTRONICS

Power Supply

- 9 camera 12VDC 800 MA per output

MB-HPS129UL (HPS129UL)

*Also available: 24VAC
MB-DPS129UL

MG ELECTRONICS

16 Camera High Output Switching Power Supply

- 12VDC, 16 outputs, 800 mA per output
- 100V-240V operation can be used anywhere in the world (with appropriate UL or foreign CE power cord). Integral surge protected.

MB-HPS1216UL (HPS1216UL)

*Also available: 24VAC
MB-DPS1216UL

MG ELECTRONICS

Power Supply

MB-MGT121AR (MGT121AR)
- 12VDC 1A regulated adaptor

MB-MGT12500S (MGT12500SPS)
- 12VDC 500MA reg plug with cord

MG ELECTRONICS

Rack Mount Power Supply

MB-RM1612 (RM1612)
- 16-channel 12VDC - 18 Amp rack mount power supply; 1.125 Amp per channel

MB-RM16AC (RM16AC)
- 0.734 Amp per channel

MB-RM32AC (RM32AC)
- 32-channel 24/28VAC rack mount power supply
- 0.859/0.734 Amp per channel

PELCO by Schneider Electric

Outdoor Power Supply

- 4 or 20 Amp capacities with 1-4 outputs
- 120VAC or 240VAC selectable input
- 24VAC output or 28VAC output for longer wire runs

PE-WCS14 (WCS1-4)

Power Supplies & Relays

Indoor Power Supply

- 2, 5, 10, or 20 Amp capacities
- Outputs for 4,8, or 16 cameras
- Fuse or circuit breaker protection
- 120VAC or 230VAC selectable input
- 24VAC output or 28VAC output for longer wire runs
- AC power indicator with power on/off switch

PE-MCS85B (MCS8-5B)

24VAC Outdoor Power Supply

- 4 or 20 Amp capacities
- 1-4 outputs
- Selectable input voltage
- 20VAC output or 28VAC output for longer wire runs
- AC power indicator with power on/off switch
- Compatible with cameras, domes, and pan/tilts

PE-WCS420B (WCS4-20B)

V-Series - 12VDC CCTV Power Supply

3P-V5A4B (V5A4B)
- 4 Out, 5 Amps, Battery Backup

3P-V5A9 (V5A9)
- 9 Out, 5 Amps

3P-V10A9 (V10A9)
- 9 Out, 10 Amps

3P-V13A18 (V13A18)
- 18 Out, 13 Amps

3P-V20A18 (V20A18)
- 18 out, 20 Amps

24VAC CCTV Power Supply

- 24VAC, Blade Style Fused Output

3P-P3AC2444L (P3AC24-4-4L)
- 4 Out, 4 Amps

3P-AC2484L (P3AC24-8-4L)
- 8 Out, 4 Amps

3P-AC24168L (P3AC24-16-8L)
- 16 Out, 8 Amps

1.5 Amp Power Supply

- Field selectable Voltage 12VDC @ 1.5 Amp or 24VDC @ 1 Amp
- Exceptional brownout protection
- Surge protected input
- With fire panel disconnect RU-101FPD

RU-101 (R10-1)

RU-101FPD (R10-1-FPD)

3 Amp Power Supply

- Field selectable voltage 12VDC @ 3 Amp or 24VDC @ 1.5 Amp
- AC fail output relay
- "End of Line" resistor supervision on fire interface
- Fire panel interface with switching output (FPD model only)

RU-R103 (R10-3)

RU-103FPD (R10-3-FPD)

12VDC Plug-In Switching Power Supplies

SL-STUV12S05 (ST-UV12-S0.5Q)
- 0.5 Amp

SL-STUV12S10 (ST-UV12-S1.0Q)
- 1.0 Amp

SL-STUV12S20 (ST-UV12-S2.0Q)
- 2.0 Amp

SL-STUV12S50 (ST-UV12-S5.0Q)
- 5.0 Amp

24VAC CCTV Power Supply

SL-1SA4P4UL (EVP-1SA4P4UL)
- 4 Outputs, 4 Amps

SL-1SA4P9UL (EVP-1SA4P9UL)
- 9 Outputs, 4 Amps

SL-1SA8P16UL (EVP-1SA8P16UL)
- 16 Outputs, 8 Amps

Switching CCTV Power Supplies

SL-PSU0406PU (PS-U0406-PUQ)
- 4 Outputs, 6 Amps

SL-PSU0906PU (PS-U0906-PUQ)
- 9 Outputs, 6 Amps

SL-PSU1806PU (PS-U1806-PUQ)
- 18 Outputs, 6 Amps

SECURITRON ASSA ABLOY AccuPower

AccuPower Switching Power Supplies

- DC output, dual-, multi- or single voltage 12/24VDC
- Sizes from 1.5A to 20A with options for power distribution, fire and access control interfaces
- Supervised units with battery charger, low battery disconnect prevents deep discharge
- Magnacare lifetime replacement no fault warranty

SN-AQD3 (AQD3)
SN-AQM20 (AQM20)

SECURITRON ASSA ABLOY

BPS-24-3 Boxed Power Supply

- LEDs provide an easy to read voltage indicator for output zone status (voltage, no voltage)
- Slide switches connect or disconnect load from power (excludes 1 amp), battery charging and backup capability (battery sold separately)
- Fire alarm relay connection for release of all devices upon fire alarm activation, clean linear power for flawless operation with all sensitive electronic components

SN-BPS243 (BPS24-3)

SECURITRON ASSA ABLOY

AQD6 Series Switching Power Supply

- Dual voltage 6 Amp 12 or 24VDC field selectable continuous output
- 90% efficiency provides low operating costs
- Dedicated battery charging circuit prevents over voltage of locking hardware
- MagnaCare Lifetime Replacement No Fault Warranty

SN-AQD68F8R (AQD6-8F8R)
SN-AQD68C (AQD6-8C)

SILENT KNIGHT by Honeywell

6 Amp Distributed Power Module

- Advanced switch mode design reduces damaging heat & manages power up to 50% more efficiently than other systems. Dip switches allow for easy configuration.

SK-5495 (5495)

SILENT KNIGHT by Honeywell

6 Amp Intelligent Power Module

- Manages power up to 50% more efficiently than other systems. UL Listed for 6 Amps of notification power.

SK-5496 (SK-5496)

SILENT KNIGHT by Honeywell

9 Amp Distributed Power Module

- Four notification appliance circuits rated at 3A each
- Advanced switch mode design reduces damaging heat & manages power up to 50% more efficiently than other systems. Dip switches allow for easy configuration.

SK-5499 (5499)

speco technologies

12VDC Camera Power Supply

- 12VDC fused output for 4 surveillance cameras
- More than 1A per channel output, 5A ouput total
- Individual PTC auto reset fuse for each output
- Also available in 9 Channel 10A output SO-P9W10D (P9W10D)

SO-P4W5D (P4W5D)

speco technologies

UL Listed 12VDC Camera Power Supply

- 12VDC fused output for 4 surveillance cameras
- More than 1A per channel output, 5A ouput total
- Individual PTC auto reset fuse for each output
- Also available in 9 Channel 10A output SO-P9W-10DUL (P9W10DUL)

SO-P4W5DUL (P4W5DUL)

WBOX TECHNOLOGIES

12VDC 5 AMP CCTV Power Supply

- Class 2 PTC output protection
- Wall mountable
- Grounded plug

0E-1205AD9

- Connects 9 cameras

0E-1205AD4

- Connects 4 cameras

The Complete Solution for A/V and

PROTECT valuable equipment from unstable, unreliable utility power!

COMPACT & TOWER UPS SYSTEMS

- Digital models include an LCD screen that displays voltage and UPS status
- Select models include Automatic Voltage Regulation (AVR) to correct brownouts without draining battery power
- USB and/or DB9 serial ports work with PowerAlert® management software (free download)
- Up to 3-year warranty with up to $250,000 Ultimate Lifetime Insurance

UP TO $250,000 ULTIMATE Lifetime Insurance

Model	VA/Watts
Internet Office® UPS	
TC-INTN350U1	350/180
TC-INT350SER	350/180
TC-INTNT550U	550/300
TC-NET600U	600/300
TC-INTNT750U	750/450
TC-INTNET900	900/480
AVR Series UPS with AVR	
TC-AVR550U	550/300
TC-AVR750U	750/450
TC-AVR900U	900/480

Model	VA/Watts
Digital UPS with AVR & LCD	
TC-OMN650LCD	650/350
TC-OMN900LCD	900/475
TC-SMT1000LC	1000/500
TC-SMT1200LC	1200/700
TC-S13000LCDT	1300/720
TC-S1500LCDT	1500/900
TC-O1500LCDT	1500/810
SmartPro Tower UPS with Advanced AVR	
TC-SMART1500	1500/980
TC-SMT2200NT	2200/1700

RACKMOUNT UPS SYSTEMS

- SmartPro® models include Automatic Voltage Regulation (AVR) to correct brownouts and overvoltages without using battery power
- SmartOnline® models feature on-line, double-conversion operation for best protection
- Included PowerAlert management software, SNMP card slot, USB and DB9 serial ports
- Up to 3-year warranty with up to $250,000 Ultimate Lifetime Insurance

UP TO $250,000 ULTIMATE Lifetime Insurance

Model	VA/Watts
SmartPro UPS with Advanced AVR	
TC-SMT500RT1	500/300
TC-SMART750R	750/600
TC-SMT10001U	1000/800
TC-SMT10002U	1000/800
TC-SMT15002U	1500/1350
TC-1500RMXUA	1500/1350
TC-SMT22002U	2200/1920
TC-SMT22XL2U	2200/1920
TC-SMRT3002U	3000/2250

Model	VA/Watts
SmartOnline UPS with On-Line Operation	
TC-SU750CD2U	750/675
TC-1000RTX2A	1000/800
TC-SU1KLCD2U	1000/900
TC-150RTL2UA	1500/1200
TC-SU15LCD2U	1500/1350
TC-2200RTXLA	2200/1600
TC-SU22LCD2U	2200/1800
TC-SU3000RT2	3000/2500
TC-SU3KLCD3U	3000/2700

ORGANIZE, SECURE and POWER equipment while saving space and money!

FLOOR-STANDING & WALL-MOUNT RACKS

- Floor-standing racks from 12U to 48U available
- Wall-mount racks are ideal for limited space
- Up to 3000 lb. load capacity
- Enclosures meet PCI compliance standards
- Heavy-duty construction with 5-year warranty

Model	Size
Floor-Standing Rack Enclosures with Doors & Side Panels	
TC-SR12UB	12U
TC-SR18UB	18U
TC-SR25UB	25U
TC-SR42UB	42U
Wall-Mount Rack Enclosures with Doors & Side Panels	
TC-SRW6U	6U
TC-SRW9U	9U
TC-SRW10US	10U
TC-SRW12US	12U
TC-SRW18US	18U
TC-SRW26US	26U

TRIPP·LITE

Contact your ADI representative for more information!

POWER DISTRIBUTION UNITS

- 1U, 2U and 0U (vertical) rack form factors pack maximum outlets in minimal space
- Heavy-duty, all-metal housings
- Advanced monitoring and control options
- ATS models provide redundancy for single-cord devices

Model	Input Current	Outlets
Basic PDUs		
TC-PDU1215	15A	13
TC-PDU1220T	20A	13
TC-PDU2430	30A	24
Metered PDUs—with Digital Load Meter		
TC-PDUMH20	20A	12
TC-PDUMH30	30A	12
Monitored PDUs—with Load Meter & Remote Monitoring (Network Interface)		
TC-PDUMNH15	15A	8
TC-PDUMNH20	20A	8
TC-PDUMNH30	30A	16
Switched PDUs—with Load Meter, Remote Monitoring & Individual Outlet Control		
TC-PDUMH20N	20A	16
TC-PDUM20NET	20A	16
TC-PDUMH30NT	30A	16
TC-MH30ATNET	30A	24

Security Equipment from TRIPP·LITE

CONTROL equipment with convenient, centralized solutions!

RACKMOUNT KVM SWITCHES

- Control multiple servers from a single console (keyboard/monitor/mouse)
- Control servers via LAN/WAN or Internet with built-in IP capability (select models)

Model	Description
TC-B006VU4R	4-Port Desktop KVM Switch; requires TC-P758006 cables, sold separately
TC-B020U19IP	8-Port 1U Rackmount IP KVM Switch with 19 in. LCD; includes 2 cable kits
TC-B04000819	8-Port 1U Rackmount KVM Switch with 19 in. LCD

COOL sensitive equipment for peak performance!

PORTABLE COOLING UNIT

- Plug-and-play design—no special outlet, floor drain or water collection tank necessary
- Flexible output duct directs cold air where needed
- Optional remote management capability

Model	Description
TC-SRCOOL12K	12,000 BTU, standard NEMA 5-15P plug, 120V operation
TC-SRCOOLNET	Remote management accessory for TC-SRCOOL12K

PROTECT equipment from damaging surges and line noise!

PROTECT IT® AND ISOBAR® SURGE PROTECTORS

- UL-verified protection against damaging surges, spikes and line noise
- Isobar models have isolated filter banks to block interference between devices
- Widely spaced outlets for bulky AC adapters
- Select models include data line protection

Model	Outlets	Cord	Joules
Protect It! Surge Protectors			
TC-TLP602	6	2 ft.	180
TC-TLP606	6	6 ft.	790
TC-TLP606DMUSB*	6	6 ft.	2100
TC-TR-6	6	6 ft.	2420
TC-STRIKER	7	6 ft.	1080
TC-SUPER7	7	7 ft.	2160
TC-TLP808	8	8 ft.	1440
TC-TLP825	8	25 ft.	1440

* Has a desk-clamp mount strip and 2.1 amp dual-port USB charger.

Model	Outlets	Cord	Joules
Isobar Surge Protectors			
TC-ISOBAR6UL	6	6 ft.	3330
TC-ISOBAR8UL	8	12 ft.	3840
TC-ISOBAR12U	12	15 ft.	3840
Audio/Video Surge Protectors			
TC-HTSWIVEL6	6 (swivel)	—	1200
TC-HT706TV	7	6 ft.	1500
TC-TLP810NET	8	10 ft.	3240

DISTRIBUTE and EXTEND signals hundreds or even thousands of feet away!

HIGH-QUALITY CABLES WITH LIFETIME WARRANTIES

CAT5E/6 CABLES

Length	Black	Blue	Green	Gray
Category 5e SNAGLESS PATCH CABLES				
6 ft.	TC-N001006BK	TC-N001006BL	—	TC-N001006GY
10 ft.	TC-N001010BK	TC-N001010BL	TC-N001010GN	TC-N001010GY
25 ft.	TC-N001025BK	TC-N001025BL	TC-N001025GN	TC-N001025GY
50 ft.	TC-N001050BK	TC-N001050BL	TC-N001050GN	TC-N001050GY
75 ft.	—	TC-N001075BL	—	TC-N001075GY
100 ft.	TC-N001100BK	TC-N001100BL	—	TC-N001100GY
Category 6 SNAGLESS PATCH CABLES				
6 ft.	TC-N201006BK	TC-N201006BL	TC-N201006GN	TC-N201006GY
10 ft.	TC-N201010BK	TC-N201010BL	TC-N201010GN	TC-N201010GY
25 ft.	TC-N201025BK	TC-N201025BL	TC-N201025GN	TC-N201025GY
50 ft.	TC-N201050BK	TC-N201050BL	TC-N201050GN	TC-N201050GY
75 ft.	—	—	—	TC-N201075GY
100 ft.	TC-N201100BK	TC-N201100BL	—	—

EASY PULL CABLES

- Include detachable connectors and pull rings for long runs through conduit and other tight spaces
- PVC and plenum-rated cables available up to 100 ft.
- HDMI, VGA, DVI and Component Video available
- 7/8" DIN ends fit where video connectors can't

Model	Description
TC-EZA050	50 ft. Type A Easy Pull Long-Run Display Cable
TC-EZAVGAM2	VGA Type A Connectors, Male to Male
TC-EZB050	50 ft. Type B Easy Pull Long-Run Display Cable
TC-EZBHDMIM2	HDMI Type B Connectors, Male to Male

OVER CAT5 EXTENDER KITS

- Over Cat5 designs extend HDMI, VGA, DVI, Component Video and Audio signals over long distances while keeping media sources hidden and secure
- Nonproprietary solutions reduce cost and use existing skills and equipment
- High-resolution video and high-fidelity sound

Model	Description
TC-B125150	HDMI Over Cat5 Active Extender Kit
TC-B1261A1	Premium HDMI Over Cat5 Active Extender Kit
TC-B1261A1WP	Wallplate HDMI Over Cat5 Active Extender Kit
TC-B1301012	VGA Over Cat5 Extender Kit
TC-130101WP1	Wallplate VGA Over Cat5 Extender Kit
TC-130101A2	VGA Over Cat5 Extender Kit with Audio
TC-B130101U	USB-Powered VGA Over Cat5 Extender Kit
TC-B136101	Component Video with Stereo Audio Over Cat5 Extender Kit
TC-136101WP1	Wallplate Component Video with Stereo Audio Over Cat5 Extender Kit
TC-B140101	DVI Over Cat5 Passive Extender Kit
TC-B140101WP	Wallplate DVI Over Cat5 Passive Extender Kit
TC-B140101X	DVI Over Cat5 Active Extender Kit
TC-B1401A1WP	Wallplate DVI Over Cat5 Active Extender Kit

Contact your ADI representative for more information!

ADI

Power Supplies & Relays – Transformers

W BOX TECHNOLOGIES

4 Channel 5 AMP 12VDC Power Supply

- Built in 6A Over Current Protection
- Adjustable Output Voltage For Long Distance Transition
- World Wide Voltage AC 100V to AC 240V

0E-4CPW5A60W

Altronix®

Transformer

- 115VAC, 60Hz 1 Amp
- 24VAC/100VA (4 Amp) or 28VAC/100VA (3.5 Amp)

AX-T2428100 (T2428100)

Altronix®

Transformer

- 115VAC, 60Hz 1.45 Amp
- 24VAC/175VA (7.25 Amp) or 28VAC/175VA (6.25 Amp)

AX-T2428175 (T2428175)

ELK PRODUCTS

Lifetime Warranted Transformers

EK-TRG1640 (TRG1640)

- 16.5VAC, 45VA; Green Power On LED
- Auto-resetting (PTC) fused secondary
- Wire strain relief and ground prong/terminal
- Lifetime limited warranty

EK-TRG2440 (TRG2440)

- 24VAC, 40VA; Green Power On LED
- Auto-resetting (PTC) fused secondary
- Wire strain relief & ground prong/terminal
- Lifetime limited warranty

Honeywell

Transformers

- Screw terminals with washers, built-in cable strain relief
- Auto resetting (PTC) fused secondary

0H-HTP1640 (HTP1640)

- 16.5VAC 40VA plug in transformer with fuse

0H-HTP2450 (HTP2450)

- 24VAC/50VA plug in transformer with fuse

MG ELECTRONICS

Transformers

MB-MGT1620 (MGT1620)

- 16 VAC 20VA transformer

MB-MGT1640 (MGT1640)

- 16 Volt AC 40 VA transformer

MB-ST241A (ST241A)

- 24VDC, 1 Amp class 2 transformer

MB-MGT2420 (MGT2420)

- Transformer, 24VAC 20VA UL APP

MB-MGT2440 (MGT2440)

- 24 Volt 40VA AC transformer

MG ELECTRONICS

Power Supply

- 12VAC/20VA class 2 transformers

MB-MGT1220 (MGT1220)

MG ELECTRONICS

Power Supply

- Power supply 12VDC 1A plug in

MB-ST121A (ST121A)

REVERE

16VA/50VA Grounded Plug-In Transformer

- 16VAC, Class 2, 50VA grounded plug-in transformer, LED supervision, MOV surge protection
- Screw terminals with washers; patented built-in cable strain relief
- Decorator White
- Also available in 12, 18, and 24 Volt

RV-RTG165SLM (RT-G1650SL/M)

DIRECT UPS

Vista Pro 600VA

- Overload protection with AVR
- Phone, fax, and modem protection
- Application: Office workstation, PC, DVR & CCTV

4A-VP600 (VP600)

DIRECT UPS

1000VA UPS

- Phone, fax, and modem protection, 6 outlets line conditioners. Overload protection with AVR.
- Application: small DVR & CCTV, small server, small communication/telecom

4A-VP1000 (VP1000VA)

2000VA UPS

- Overload protection line conditioners
- Phone, fax, and modem protection

4A-VP2000 (VP2000)

GET IT NOW!

DIRECT UPS

XP600

- Standby type UPS with extra surge overload protection: total 6 outlets: 3 for surge protection, 3 for battery back up and surge protection.
- For small CCTV DVR, home entertainment center, plasma TV, home PC and office work station. Only can be used on the stable power environment.
- VA range: 400VA, 600VA

4A-XP600 (XP600)

MINUTEMAN POWER TECHNOLOGIES by Para Systems, Inc.

EnSpire Series UPS

R1-EN400 (EN400)

- 400VA low-cost, high performance stand-by UPS
- 6 Outlets (3 battery, 3 surge-only) UL 1778 certified
- 3 year warranty (2 year battery warranty)

R1-EN600 (EN600)

- 600VA low-cost, high performance stand-by UPS
- 6 Outlets (3 battery, 3 surge-only), UL 1778 certified. USB communications.
- 3 year warranty (2 year battery warranty)

GET IT NOW!

MINUTEMAN POWER TECHNOLOGIES by Para Systems, Inc.

EnSpire Series UPS

R1-EN750 (EN750)

- 750VA stand-by UPS with LCD Display
- 6 Outlets (3 battery, 3 surge-only), UL 1778 certified. USB communications.
- 3 year warranty (2 year battery warranty)

R1-EN900 (EN900)

- 900VA stand-by UPS with LCD Display. 6 Outlets (3 battery, 3 surge-only), UL 1778 certified. USB communications. 3 year warranty (2 year battery warranty).

GET IT NOW!

MINUTEMAN POWER TECHNOLOGIES by Para Systems, Inc.

Entrust Series UPS

- 1000VA line-interactive UPS
- 8 Outlets (4 battery, 4 surge-only), UL 1778 certified. USB communications.
- 3 year warranty (2 year battery warranty)

R1-ETR1000 (ETR1000)

GET IT NOW!

MINUTEMAN POWER TECHNOLOGIES by Para Systems, Inc.

PRO1500RT

- 1500VA / 1050 Watts, high performance line-interactive UPS
- LCD display, Rack/tower,6 receptacles on battery, 2 surge-only
- Designed for longer run-time. SNMP capable
- 3-year warranty, including batteries, conforms to UL1778

R1-PRO1500RT (PRO1500RT)

GET IT NOW!

PANAMAX

MB850 Battery Backup for Home Theater

- 5 Battery powered & surge protected outlets
- 4 Full-time surge protected outlets
- Automatic voltage regulation
- USB/serial port to PC
- 1 Pair, in/out coax / cable sat surge protection
- Wiring fault indicator light
- Ethernet protection ports
- Auto-shutdown software

ZG-MB850 (MB850)

TRIPP·LITE

Smart LCD Tower Line-Interactive 120V UPS with LCD Display and USB Port

- Application: PCs and Workstations, AV Equipment
- Tower UPS w/ 8 outlets, USB, Tel/DSL/Ethernet, LCD display and AVR

TC-S1300LCDT (SMART1300LCDT)

- 1300VA

TC-S1500LCDT (SMART1500LCDT)

- 1500VA

Uninterrupted Power Supplies (UPS) – Surge Protection

INTERNET750U

- Standby UPS w/ 12 outlets, USB, Tel/DSL
- Application: PCs and Workstations
- Back-Up Time (minutes): 10 half load/4 full load
- Rating VA: 750VA. Load: 450. Warranty: 3 Years

TC-INTNT750U (INTERNET750U)

SMART500RT1U

- SmartPro-Rackmount 1U UPS w/ 7 outlets
- Application: Data/Tel/VoIP, networks
- Back-Up Time (minutes): 15 half load/3 full load
- Rating VA: 500VA. Load: 300. Warranty: 2 Years

TC-SMT500RT1 (SMART500RT1U)

PoE Camera Surge Protection

- Protects 5V data and 24/48V power pairs
- RJ45 in/out, external grounding screw
- Use at camera, midspan, switch, etc.
- Rackmount version available

DK-MRJPOE (DTK-MRJPOE)

IP Video Surge Protection

- Protects all four video/power pairs, RJ45 in/out
- GB Ethernet data rate
- Accessory power protection circuit for heater/ blower/defroster

DK-PVPIP (DTK-PVPIP)

Fixed Camera Surge Protection

- One product protects power and video circuits
- 2.8V coax video let-through voltage for best protection
- Typically installs at pole base, BNC connection

DK-PVP27B (DTK-PVP27B)

PTZ Camera Surge Protection

- One product protects power, data and video circuits
- Typically installs at pole base, BNC connection
- DK-DP4PBP eliminates need for separate converter
- Twisted pair video model also available (DK-DP4PTPV)

DK-DP4P (DTK-DP4P)

16 Channel DVR Surge Protector & UPS

- Complete power, video and Cat 5e surge protection
- UPS keeps DVR running through temporary power loss includes surge protected RJ45 Cat 5e jack, and dry contacts for remote notification
- DK-DRP16B includes passive balun, eliminates need for separate converter

DK-DRP16 (DTK-DRP16)

Rack Mount Video Surge Protection

- Protects 16 channels in a 1U height rack mount package
- Field replaceable surge protection modules
- BNC coax in/out - single point ground

DK-RM16NM (DK-RM16NM)

Alarm Panel Loop Circuit Protection

- Protects SLC, IDC, NAC and 4-20mA loop circuits

DK-2MHLP24BW (DTK-2MHLP24BWB)

- Two 24V pairs protected per module

DK-2MHLP36BW

- Two 36V pairs protected per module

Low Voltage Line Protection

- Series connection, parallel function adds no resistance to loop circuits. 22 – 16 AWG screw terminal connection.
- DIN rail kit available, DK-DRK

DK-2LVLP (DK-2LVLP)

- Protects 2 pairs, 24V voice/data/signal circuits

DK-4LVLPLV (DK-4LVLPLV)

- Protects 4 pairs, 24V voice/data/signal circuits

Fire Control Panel Surge Protection Kit

- Protects alarm system power and dialer circuits
- Diagnostic LED indicator confirms AC power, ground presence and unit function
- RJ45 In/Out dialer protectors, includes patchcord

DK-FPK1 (DTK-FPK1)

Alarm System Protection Kit

- Protects 120VAC power and RJ31X dialer circuit
- Single outlet plug-in with security retention screw
- Protects against over-voltage and over-current events

DK-APK1 (DTK-APK1)

Alarm Dialer Surge Protection

- Protects fire and security system dialer circuits
- RJ31X connection with external grounding screw
- Automatic reset to protect against multiple surges

DK-MRJ31SCWP (DTK-MRJ31XSCPWP)

Single Outlet Surge Protection

- Center screw secures to outlet & also secures a connected transformer. Single AC outlet protects critical equipment.

DK-1F (DTK-8FF)

3-Pair Card Reader Surge Protection

- Protects 12V, 3-pair, Weigand type card readers
- Series connection, parallel function adds no resistance to loop circuits
- Single point ground for all protected circuits

DK-3LVLPX (DTK-3LVLPX)

4-Pair Card Reader Surge Protection

- Protects power, LED and data lines
- Series connection, parallel function adds no resistance to loop circuits
- Single point ground for all protected circuits

DK-4LVLPCR (DTK-4LVLPCR)

Access Control Door Strike Surge Protector

- Prevents surges from traveling into control panel. Sold in pairs.
- Compact design installs in door frames & at access control panel.

DK-DTKESS (DTK-ESS)

Gigabit Ethernet Surge Protection

- Protects data lines to vital equipment, all for pairs protected
- Low voltage clamping protects sensitive 5V data circuits
- Automatically resets to protect against multiple surges
- Conforms to EIA/TIA standards for data transmission

DK-MRJ45C5E (DTK-MRJ45C5E)

Surge Protection

Low Voltage Line Protection

- Protect 1, 2, 4 or 8 pairs of Voice/Data/Signal circuits. Available voltages: 6V - 130V.
- Contact your ADI representative for specific model number. Screw terminal connection.

DK-LVLP Series (DTK-LVLP Series)

Snap-On 66 Block Surge Protection

- Contact your ADI representative for specific model numbers
- Single pair snap-on protection for 66 Block
- Available for 30V, 50V, 95V and 130V circuits

DK-S/SL Series (DTK-S/SL Series)

8 Outlet Plug-In Surge Protection

- Diagnostic LED indicates ground presence & suppressor function. Up to 6 transformers can be used at same time. Automatic shut down feature turns off power in case of overload.

DK-8FF (DTK-1F)

MMS Series 6-Outlet Surge Twin Pack

- Two 6-outlet units in one package
- Wall mountable
- Two-year warranty
- UL 1449 certified

R1-MMS362P (MMS362P)

MMS Series 8-Outlet Surge Suppressor

- 8 outlets, six 180° rotating for transformer blocks
- Seven foot power cord
- Wall mountable, cord management design
- UL1449 certified, limited lifetime warranty

R1-MMS780R (MMS780R)

MIW-Surge-1G

- Two AC receptacles provide surge protection
- Fits most standard single gang plastic or metal boxes
- Mounts behind electronic equipment
- CSA Certified for code compliant installations
- Bi-Color Indicator LED

ZG-MIWSUGE1G (MIW-SURGE-1G)

MIW-XT In-Wall Power Management Extender

- Ultra-thin profile
- EMI/RFI noise filtration built into receptacle
- Power & signal lines are hidden in the wall
- Extend connected equipment policy to remote equipment
- Accommodates optional MIW signal line modules
- CSA certified

ZG-MIWXT (MIW-XT)

MD2 Multi-Use AC Surge Protection

- EMI/RFI Filtration for clean power
- Exclusive Protect or Disconnect Circuitry
- Two LED Diagnostic Lights
- Thin profile, paintable cover

ZG-MD2 (MD2)

M8-EX Power Conditioner

- 8 Outlets with transformer spacing
- Noise filtration & surge protection
- Ideal for home/office equipment
- Accepts add-on signal line modules for expansion

ZG-M8EX (M8-EX)

APC™ by Schneider Electric

1U Power Filter with Surge Protection

- Lifetime warranty & lifetime equipment protection policy
- 9 outlets (1 front/8 rear)
- LCD display
- Ships with rack ears attached (leveling feet in box)

2G-G5BLK (G5BLK)

Flat Panel/Projector Power Filter

- Wall mountable surge protection with power filtration
- Life equipment protection policy and lifetime warranty
- 2 outlets (ships with 2 foot detachable power cord)
- Automatic low/high voltage cutoff & automatic power on

2G-C2 (C2)

APC Voltage Regulator

- Voltage regulator to correct brown outs & overvoltages
- 12 block safe outlets
- LCD display
- Ships with rack ears and leveling feet (attached)

2G-H15BLK (H15BLK)

AV Power Filter

- 8 outlet power filter with 6 foot cord
- Lifetime equipment protection policy & lifetime warranty
- Wall mountable
- Safe outlets

2G-P8V (P8V)

Audio Visual Surge Protector

- Lifetime warranty
- $25,000 equipment protection policy
- 7 outlets
- Four foot power cord

2G-P74 (P74)

Surge Protection

PANAMAX

M8-AV-PRO Home Theater Power Management

- Premium filtration. Surge protection.
- Coax/sat protection. 12 Volt trigger.
- Telephone/LAN line protection. Hi-def ready.
- Automatic voltage monitoring. 8 Outlets.

ZG-M8AVPRO (M8-AV-PRO)

GET IT NOW!

PANAMAX

PM8-AV Home Theater Power Management

- Eliminates symptoms of contaminated power
- Cable/Sat/Telephone Surge Protection
- Exclusive Protect or Disconnect Circuitry
- 8 Outlets

ZG-PM8AV (PM8-AV)

GET IT NOW!

SR COMPONENTS, INC.

6 Outlet Surge Protection

- 3 ft. cord
- 90 Joules

R5-POWER6 (POWER6)

GET IT NOW!

TRIPP·LITE

TLP808

- 8 outlet Protect It! Surge Suppressor
- Joules: 1440. Cord Length: 8 ft.
- $75,000 Ultimate Lifetime Insurance
- Lifetime limited warranty

TC-TLP808 (TLP808)

GET IT NOW!

TRIPP·LITE

TLP602

- 6 outlet Protect It! Surge Suppressor
- Joules: 180. Cord Length: 2 ft.
- $2,500 Ultimate Lifetime Insurance
- Lifetime limited warranty

TC-TLP602 (TLP602)

GET IT NOW!

TRIPP·LITE

SUPER7

- 7 outlet Protect It! Surge Suppressor
- Joules: 2160. Cord Length: 7 ft.
- $75,000 Ultimate Lifetime Insurance
- Lifetime limited warranty

TC-SUPER7 (SUPER7)

GET IT NOW!

TRIPP·LITE

DRS-1215

- Rackmount 1U Economy Surge Suppressor
- Application: Industrial/Factory Floor
- Outlets: 14. Joules: 3000. Cord Length: 15 ft.
- Lifetime limited warranty

TC-DRS1215 (DRS-1215)

c UL us

GET IT NOW!

TRIPP·LITE

STRIKER

- 7 outlet Protect It! Surge Suppressor
- Joules: 1080. Cord Length: 6 ft.
- $20,000 Ultimate Lifetime Insurance
- Lifetime limited warranty

TC-STRIKER (STRIKER)

c UL us

GET IT NOW!

Surge Protectors Save Valuable Time & Money!
Surge Protectors save you time on service calls and protects your customers' valuable equipment. We carry a wide assortment to meet your needs.
ADI
GLOBAL DISTRIBUTION

NEW

Intelligent Battery Testers

Discover our new range of Intelligent Battery Testers, capable of simulating a 20 hour discharge test in just seconds...

WATCH video demonstrations at www.actmeters.com

ACT 612 6V/12V Intelligent Battery Tester

- New, robust design with enhanced accuracy
- Simulates 20 hour discharge test in seconds
- Displays DC Voltage & Ah capacity
- For 6V/12V SLA, GEL and FLOODED batteries

B6-ACT612 (ACT612)

ACT CHROME 12V SLA Intelligent Battery Tester

- Compact size with simple, automatic operation
- Simulates 20 hour discharge test in 6 seconds
- Displays actual DC Voltage & Ah capacity available
- For 12V SLA batteries between 1.2 and 200Ah

B6-ACTCHROME (ACTCHROME)

12 Volt Rechargeable SLA Batteries

- Premium lead content for enhanced performance
- Over the counter 2 year warranty
- Choose the best, choose ELK

EK-1280 (1280)

- 8 Amp hour

EK-1250 (1250)

- 5 Amp hour

Batteries

Energizer

Energizer Lithium 3V Coin Cell

- Reliable, dependable power
- High performance in small electronics
- Superior quality

ZI-ECR2025BP (ECR2025BP)

Energizer

Energizer Lithium 3V Coin Cell

- Reliable, dependable power
- High performance in small electronics
- Superior quality

ZI-ECR2032BP (ECR2032BP)

Energizer

Energizer 3V Lithium Coin Cell

- Reliable, dependable power
- High performance in small electronics
- Superior quality

ZI-ECR2430BP (ECR2430BP)

Energizer

Energizer 3V Lithium Coin Cell

- Reliable, dependable power
- High performance in small electronics
- Superior quality

ZI-ECR2450BP (ECR2450BP)

Energizer

Energizer 3V Lithium

- Reliable, dependable power
- High performance in small electronics
- Superior quality

ZI-EL123APBP (EL123APBP)

Energizer

Energizer Industrial Alkaline 9V

- No mercury added
- Operate in extreme temperatures (-18° C to 55° C)
- Excellent, 5 year shelf life

ZI-EN22 (EN22)

Energizer

Energizer Industrial Alkaline AA

- No mercury added
- Operate in extreme temperatures (-18° C to 55° C)
- Excellent, 10 year shelf life

ZI-EN91 (EN91)

Energizer

Energizer Industrial Alkaline AAA

- No mercury added
- Operate in extreme temperatures (-18° C to 55° C)
- Excellent, 10 year shelf life

ZI-EN92 (EN92)

Energizer

Energizer Industrial Alkaline C

- No mercury added
- Operate in extreme temperatures (-18° C to 55° C)
- Excellent, 10 year shelf life

ZI-EN93 (EN93)

Energizer

Energizer Industrial Alkaline D

- No mercury added
- Operate in extreme temperatures (-18° C to 55° C)
- Excellent, 10 year shelf life

ZI-EN95 (EN95)

MAXPOWERCELL, LLC

3V Lithium Battery

- MaxPowerCell 3V lithium battery
- 1300mA
- UL listed

7M-CR123A (7M-CR123A)

POWER PS SONIC

12 Volt Rechargeable SLA Battery

- 12 Volt 5.0 Amp hour capacity
- Up to 5 year design life
- Full replacement warranty for 12 months
- Available in F1 or F2 terminal options

PW-PS1250F1 (PS-1250F1)

POWER PS SONIC

12 Volt Rechargeable SLA Battery

- 12 Volt 7.0 Amp hour capacity
- Up to 5 year design life
- Full replacement warranty for 12 months
- Available in F1 or F2 terminal options

PW-PS1270 (PS-1270F1)

POWER PS SONIC

12 Volt Rechargeable SLA Battery

- 12 Volt 12.0 Amp hour capacity
- Up to 5 year design life
- Full replacement warranty for 12 months
- Available in F2 or nut and bolt terminal options

PW-PS12120 (PS-12120)

POWER PS SONIC

12 Volt Rechargeable SLA Battery

- 12 Volt 35.0 Amp hour capacity
- Up to 5 year design life
- Full replacement warranty for 12 months

PW-PS12350 (PS-12350)

POWER PS SONIC

12 Volt Rechargeable SLA Battery

- 12 Volt 18.0 Amp hour capacity
- Up to 5 year design life
- Full replacement warranty for 12 months
- Also available in nut and bolt terminal option

PW-PS12180F2 (PS-12180F2)

POWER PS SONIC

12 Volt Rechargeable SLA Battery

- 12 Volt 1.4 Amp hour capacity
- Up to 5 year design life
- Full replacement warranty for 12 months

PW-PS1212 (PS-1212F1)

POWER PS SONIC

12 Volt Rechargeable SLA Battery

- 12 Volt 18.0 Amp hour capacity
- Up to 5 year design life
- Full replacement warranty for 12 months
- Also available in F2 terminal option

PW-PS12180NB (PS-12180NB)

Batteries

12 Volt Rechargeable SLA Battery

- 12 Volt 26.0 Amp hour capacity
- Up to 5 year design life
- Full replacement warranty for 12 months
- Also available in nut and bolt terminal option

PW-PS12260F (PS-12260F2)

12 Volt Rechargeable SLA Battery

- 12 Volt 55.0 Amp hour capacity
- Up to 5 year design life
- Full replacement warranty for 12 months

PW-PS12550U (PS-12550U)

6 Volt Rechargeable SLA Battery

- 6 Volt 1.4 Amp Hour capacity
- Up to 5 year design life
- Full replacement warranty for 12 months

PW-PS612 (PS-612F1)

6 Volt Rechargeable SLA Battery

- 6 Volt 4.5 Amp hour capacity
- Up to 5 year design life
- Full replacement warranty for 12 months

PW-PS640F1 (PS-640F1)

6 Volt, 4 AH SLA Batteries

- If it doesn't say Yuasa on the outside it's not Yuasa on the inside
- Made in Yuasa plants to Yuasa specifications

UZ-NP46 (NP4-6)

12 Volt, 4 AH SLA Batteries

- If it doesn't say Yuasa on the outside it's not Yuasa on the inside
- Made in Yuasa plants to Yuasa specifications

UZ-NP412 (NP4-12)

12 Volt, 7 AH SLA Batteries

- If it doesn't say Yuasa on the outside it's not Yuasa on the inside
- Made in Yuasa plants to Yuasa specifications

UZ-NP712 (NP7-12)

12 Volt, 12 AH SLA Batteries

- If it doesn't say Yuasa on the outside it's not Yuasa on the inside
- Made in Yuasa plants to Yuasa specifications

UZ-NP1212 (NP12-12)

12 Volt, 17.2 AH SLA Batteries

- If it doesn't say Yuasa on the outside it's not Yuasa on the inside
- Made in Yuasa plants to Yuasa specifications

UZ-NP1812B (NP18-12B)

YUASA

12 Volt and 6 Volt Rechargeable SLA Batteries

- Original "NP" specifications (quality and performance)
- Don't be fooled by inferior NP products
- If it doesn't say Yuasa on the outside, it isn't Yuasa on the inside
- Product made in Taiwan

UZ-NP3812 (NP38-12)
- 12V, 38 Ah

UZ-NP2412B (NP24-12B)
- 12V, 24 Ah

UZ-NP1212FR (NP12-12FR)
- 12V, 12 Ah, flame retardant casing

UZ-NP2312FR (NP2.3-12FR)
- 12V, 2.3 Ah, flame retardant casing

UZ-NP76 (NP7-6)
- 6V, 7 Ah

UZ-NP36 (NP3-6)
- 6V, 3 Ah

UZ-NP126 (NP1.2-6)
- 6V, 1.2 Ah

UZ-NP112 (NP1.2-12)
- 12V, 1.2 Ah

UZ-NP106 (NP10-6)
- 6V, 10 Ah

Wireless Battery Replacement Chart

Elk

ADI Part #	Battery Type	Voltage	ADI Battery Part #	Amt
EK-6010	Not replaceable			
EK-6020	ER14250 Lithium	3.6V	ER14250	1
EK-6021	CR2032 Lithium Coin Cell	3V	ZI-ECR2032	1
EK-6022	CR123A Lithium	3V	ZI-EL123APBP	1
EK-6030	CR123A Lithium	3V	ZI-EL123APBP	2
EK-6030P	CR123A Lithium	3V		2
EK-6050	CR123A Lithium	3V		2

Honeywell

ADI Part #	Battery Type	Voltage	ADI Battery Part #	Amt
5800CO	CR123 Lithium	3V	CR123	1
5800MICRA	CR1620 Lithium	3V	CR1620	1
5800PIR-RES	CR123 Lithium	3V	CR123	1
5800PIR	CR123 Lithium	3V	CR123	1
5800PIR-COM	CR123 Lithium	3V	CR123	1
5800PIR-OD	AA Alkaline	1.5V	ZI-EN91	4
5800RPS	CR1620 Lithium Coin Cell	3V	ZI-ECR1620BP	1
5800SS1	CR2 Lithium	3V	469	1
5800WAVE	WALYNX-RCBH-SC	7.2V	WALYNXRCHBDR	1
5801	CR123 Lithium	3V	CR123	1
5802	CR1/3N (not replaceable)			
5802MN	CR2032 Lithium Coin Cell	3V	CR2032	1
5802WXT/5802WXT-2	CR2032 Lithium Coin Cell	3V	CR2032	1
5804	CR2025 Lithium	3V	CR2025	1
5804BD	CR2430 Lithium	3V	CR2430	2
5804BDV	CR2430 Lithium	3V	CR2430	2
5804WATCH	CR2025 Lithium	3V	CR2025	1
5805-6	CR2032 Lithium Coin Cell	3V	CR2032	1
5806	9V Alkaline	9V	ZI-EN22	2
5806W3	CR123 Lithium	3V	CR123	1
5808	CR123 Lithium	3V	CR123	2
5808LST	CR123 Lithium	3V	CR123	2
5808WS	CR123 Lithium	3V	CR123	1
5809	CR123 Lithium	3V	CR123	1
5811	CR2032 Lithium Coin Cell	3V	CR2032	1
5811BR	CR2032 Lithium Coin Cell	3V	CR2032	1
5814	CR2430 Lithium	3V	CR2430	1
5815	CR123 Lithium	3V	CR123	1
5816	CR123 Lithium	3V	CR123	1
5816MN	CR123 Lithium	3V	CR123	1
5816OD	AA Lithium	1.5V	462	2
5817	CR123 Lithium	3V	CR123	1
5817CB	CR123 Lithium	3V	CR123	1
5818	CR123 Lithium	3V	CR123	1
5818MNL	AAA Lithium	1.5V	ZI-E96BP2	1
5819	CR123 Lithium	3V	CR123	1
5819WHS	CR123 Lithium	3V	CR123	1
5819BRS	CR123 Lithium	3V	CR123	1
5820L	AAA Lithium	1.5V	ZI-E96BP2	1

Honeywell (Cont'd)

ADI Part #	Battery Type	Voltage	ADI Battery Part #	Amt
5821	CR123 Lithium	3V	CR123	1
5827	9V Alkaline	9V	ZI-EN22	1
5828V	AA Alkaline	1.5V	ZI-EN91	3
5839	9V Lithium	9V	ZI-LA522	1
5853	CR123 Lithium	3V	CR123	2
5869	CR123 Lithium	3V	CR123	1
5870API-WH	CR2 Lithium	3V	469	1
5870API-GY	CR2 Lithium	3V	469	1
5878	CR2032 Lithium Coin Cell	3V	CR2032	1
5890	CR123 Lithium	3V	CR123	2
5890PI	CR123 Lithium	3V	CR123	2
5894PI	CR123 Lithium	3V	CR123	3
5897-35	CR123 Lithium	3V	CR123	4
5898	AA Lithium	1.5V	462	4

Inovonics

ADI Part #	Battery Type	Voltage	ADI Battery Part #	Amt
IV-EN1223D	Lithium Ion Slimpack	18V, 1.3 Ah	IV-BAT609	1
IV-EN1223S	Lithium Ion Slimpack	18V, 1.3 Ah	IV-BAT609	1
IV-EN1224	CR2 Lithium	3V	ZI-EL1CR2BP	1
IV-EN1224ON	CR2 Lithium	3V	ZI-EL1CR2BP	1
IV-EN1233D	CR2 Lithium	3V	ZI-EL1CR2BP	1
IV-EN1233S	CR2 Lithium	3V	ZI-EL1CR2BP	1
IV-EN1235D	CR2 Lithium	3V	ZI-EL1CR2BP	1
IV-EN1235S	CR2 Lithium	3V	ZI-EL1CR2BP	1
IV-EN1235DF	CR2 Lithium	3V	ZI-EL1CR2BP	1
IV-EN1235SF	CR2 Lithium	3V	ZI-EL1CR2BP	1
IV-EN1236D	CR2 Lithium	3V	ZI-EL1CR2BP	1
IV-EN1238D	CR2 Lithium	3V	ZI-EL1CR2BP	1
IV-EN1210	CR123 Lithium	3V	ZI-EL123APBP	1
IV-EN1210EOL	CR123 Lithium	3V	ZI-EL123APBP	1
IV-EN1210W	CR123 Lithium	3V	ZI-EL123APBP	1
IV-EN1212	CR123 Lithium	3V	ZI-EL123APBP	1
IV-EN1215EOL	CR123 Lithium	3V	ZI-EL123APBP	1
IV-EN1215WEO	CR123 Lithium	3V	ZI-EL123APBP	1
IV-EN1261HT	SLA	6V, 12 Ah		1
IV-EN1262	CR123 Lithium	3V	ZI-EL123APBP	1
IV-EN1265	CR123 Lithium	3V	ZI-EL123APBP	1
IV-EN1240	CR123 Lithium	3V	ZI-EL123APBP	1
IV-EN1242	CR123 Lithium	3V	ZI-EL123APBP	1
IV-EN1247	CR123 Lithium	3V	ZI-EL123APBP	1
IV-EN4200	10-14VDC	10-14VDC		1
IV-EN4204R	10-14VDC	10-14VDC		1
IV-EN4216MR	10-14VDC	10-14VDC		1
IV-EN4232MR	10-14VDC	10-14VDC		1

Wireless Battery Replacement Chart

Interlogix

ADI Part #	Battery Type	Voltage	ADI Battery Part #	Amt
CA-60362N103	1/2 AA Lithium	3.6 VDC	CA-6081309	1
CA-604521095	1/2 AA Lithium	3.6VDC	CA-6081309	1
CA-604571395	1/2 AA Lithium	3.6VDC	CA-6081309	1
CA-604581195	1/2 AA Lithium	3.6VDC	CA-6081309	1
CA-604600195	9VDC Alkaline or Lithium	9VDC	ZI-EN22 or ZI-LA522	1
CA-NX496	9VDC Alkaline or Lithium	9VDC	ZI-EN22 or ZI-LA522	1
CA-604603195	9VDC Alkaline or Lithium	9VDC	ZI-EN22 or ZI-LA522	1
CA-NX495	9VDC Alkaline or Lithium	9VDC	ZI-EN22 or ZI-LA522	1
CA-604621035	1/2 AA Lithium	3.6VDC	CA-6081309	1
CA-NX656	1/2 AA Lithium	3.6VDC	CA-6081309	1
CA-NX475	1/2 AA Lithium	3.6 VDC	CA-6081309	1
CA-6059795	123A Lithium	3.0 VDC	CA-60733	1
CA-6063195	12V Alkaline	12V, 33 mAh	CA-60711	1
CA-606073195	12V Alkaline	12V, 33 mAh	CA-60711	1
CA-NX480	AA Alkaline	1.5V	ZI-EN91	2
CA-6063995RD	AA Alkaline	1.5V	ZI-EN91	2
CA-NX652	AA Alkaline	1.5V	ZI-EN91	1
CA-NX470	12V Alkaline	12V, 33 mAh	CA-60711	1
CA-NX450	AAA Alkaline	1.5V	ZI-EN92	2
CA-NX54	3V Lithium	3-Volt 190 mAh	CA-60699	1
CA-6069495R	12V Alkaline	12V, 33 mAh	CA-60711	1
CA-NX458	3V Lithium	3V	CA-60711	1
CA-NX658	AAA Alkaline	1.5V	ZI-EN92	2
CA-NX695	AAA Alkaline	1.5V	ZI-EN92	2
CA-NX481	AA Alkaline	1.5V	ZI-EN91	2
CA-6083295R	12V 33 mAh Alkaline	12V, 33 mAh	CA-60711	1
CA-NX-487	Saft or Tadiran AA Lithium	3.6VDC	CA-60619	2
CA-NX491T	123A Lithium	3V	ZI-EL123APBP	1
CA-6087395	123A Lithium	3V	ZI-EL123APBP	2
CA-NX488	123A Lithium	3V	ZI-EL123APBP	2
CA-NX482	123A Lithium	3V	ZI-EL123APBP	2
CA-NX667	CR123A or DL123A Lithium	3V	ZI-EL123APBP	1
CA-TX1010011	CR2032 Lithium Coin Cell	3 VDC, 225 mAh	ZI-ECR2032	1
CA-TX1010013	CR2032 Lithium Coin Cell	3 VDC, 225 mAh	ZI-ECR2032	1
CA-TX1510011	CR2032 Lithium Coin Cell	3 VDC, 225 mAh	ZI-ECR2032	1
CA-TX4014012	CR2032 Lithium Coin Cell	3 VDC, 225 mAh	ZI-ECR2032	1
CA-TX6010011	CR123A or 123 Lithium	3V	ZI-EL123APBP	1
CA-TX8010011	CR2032 Lithium Coin Cell	3 VDC, 255 mAh	ZI-ECR2032	1
CA-TX8300011	CR2032 Lithium Coin Cell	3 VDC, 255 mAh	ZI-ECR2032	1

Leviton

ADI Part #	Battery Type	Voltage	ADI Battery Part #	Amt
2H-46A001	CR123A Lithium	3V	ZI-EL123APBP	1
2H-47A002	CR123A Lithium	3V	ZI-EL123APBP	1
2H-48A001	CR2025 Lithium	3V	ZI-ECR2025	2
2H-50A001	CR2032 Lithium Coin Cell	3V	ZI-ECR2032	1
2H-56A001	CR2 Lithium	3V	ZI-EL1CR2BP	1
2H-57A001	CR2032 Lithium Coin Cell	3V	ZI-ECR2032	1
2H-58A001	CR2450N Lithium	3V	ZI-ECR2450BP	1
2H-61A001	CR2 Lithium	3V	ZI-EL1CR2BP	1
2H-63A001	C Alkaline	1.5V	ZI-EN93	2
2H-69A001	CR2032 Lithium Coin Cell	3V	ZI-ECR2032	2

Optex

ADI Part #	Battery Type	Voltage	ADI Battery Part #	Amt
OP-EX35R	9V Alkaline or Lithium	9V	ZI-EN22 or ZI-LA522	3
OP-TD20U	9V Alkaline	9V	ZI-EN22	1
OP-TC10U	CR123 Lithium	3V	ZI-EL123APBP	1
OP-TS10U	AA Alkaline or Lithium	1.5V	ZI-EN91	2
OP-FTNR	CR123A, CR2, 1/2 AA	3V	ZI-EL123APBP	1
OP-FTNRAM	CR123A, CR2, 1/2 AA	3V	ZI-EL123APBP	1
OP-VX402R	9V Alkaline or Lithium	9V	ZI-EN22 or ZI-LA522	3
OP-BX80NR	9V Alkaline or Lithium	9V	ZI-EN22 or ZI-LA522	3
OP-HX40RAM	CR123A, CR2, 1/2 AA	3.0VDC or 3.6VDC	ZI-EL123APBP	3
OP-HX80NRAM	CR123A, CR2, 1/2 AA	3.0VDC or 3.6VDC	ZI-EL123APBP	3
OP-SIP3020WF	9V Alkaline or Lithium	9V	ZI-EN22 or ZI-LA522	3
OP-SIP4010WF	9V Alkaline or Lithium	9V	ZI-EN22 or ZI-LA522	3
OP-SIP404WF	9V Alkaline or Lithium	9V	ZI-EN22 or ZI-LA522	3
OP-AX100TFR	SAFT LSH20 Lithium	3.6V,13.0 Ah	Z3-LSH20	1
OP-AX200TFR	SAFT LSH20 Lithium	3.6V,13.0 Ah	Z3-LSH20	1
OP-SL350QFR	SAFT LSH20 Lithium	3.6V,13.0 Ah	Z3-LSH20	1
OP-EX35RI	CR123A Lithium	3V	ZI-EL123APBP	1
OP-TD20U	9V Alkaline	9V	ZI-EN22	1
OP-TC10U	CR123 Lithium	3V	ZI-EL123APBP	1
OP-TS10U	AA Alkaline or Lithium	1.5V	ZI-EN91	2
OP-FTNR	CR123A Lithium	3V	ZI-EL123APBP	1
OP-FTNRAMI	CR123A Lithium	3V	ZI-EL123APBP	1
OP-VX402RI	CR123A Lithium	3V	ZI-EL123APBP	1
OP-BX80NRI	CR123A Lithium	3V	ZI-EL123APBP	1
OP-HX40RAMI	CR123A Lithium	3V	ZI-EL123APBP	2
OP-HX80NRAMI	CR123A Lithium	3V	ZI-EL123APBP	2
OP-SIP3020WI	SAFT LSH20 Lithium	3.6V,13.0 Ah	Z3-LSH20	2
OP-SIP404WI	SAFT LSH20 Lithium	3.6V,13.0 Ah	Z3-LSH20	2
OP-SIP3020WI	SAFT LSH20 Lithium	3.6V,13.0 Ah	Z3-LSH20	2
OP-SIP4010	SAFT LSH20 Lithium	3.6V,13.0 Ah	Z3-LSH20	2
OP-AX100TFRI	SAFT LSH20 Lithium	3.6V,13.0 Ah	Z3-LSH20	4
OP-AX200TFRI	SAFT LSH20 Lithium	3.6V,13.0 Ah	Z3-LSH20	4
OP-SL350QFRI	SAFT LSH20 Lithium	3.6V,13.0 Ah	Z3-LSH20	4

Wireless Battery Replacement Chart

STI

ADI Part #	Battery Type	Voltage	ADI Battery Part #	Amt
SF-34100	AA NiMh Rechargable	1.5V		2
SF-STI34150	C Alkaline	1.5V	ZI-EN93	2
SF-STI34200	CR123 Lithium	3V	ZI-EL123APBP	1
SF-STI34300	CR123 Lithium	3V	ZI-EL123APBP	1
SF-STI34400	CR123 Lithium	3V	ZI-EL123APBP	1
SF-STI34500	CR123 Lithium	3V	ZI-EL123APBP	1
SF-STI34600	CR2032 Lithium Coin Cell	3V	ZI-ECR2032	1
SF-STI34700	CR123 Lithium	3V	ZI-EL123APBP	1
SF-STI34750	CR123 Lithium	3V	ZI-EL123APBP	1
SF-6200WIR4	9V Alkaline	9V	ZI-EN22	1
SF-6400WIR4	9V Alkaline	9V	ZI-EN22	1
SF-STIV34100	AA NiMh Rechargable	1.5V		2
SF-STIV34150	C Alkaline	1.5V	ZI-EN93	2
SF-STIV34200	CR123 Lithium	3V	ZI-EL123APBP	1
SF-STIV34300	CR123 Lithium	3V	ZI-EL123APBP	1
SF-STIV34400	CR123 Lithium	3V	ZI-EL123APBP	1
SF-STIV34500	CR123 Lithium	3V	ZI-EL123APBP	1
SF-STIV34600	CR2032 Lithium Coin Cell	3V	ZI-ECR2032	1
SF-STIV34700	CR123 Lithium	3V	ZI-EL123APBP	1
SF-STIV34750	CR123 Lithium	3V	ZI-EL123APBP	1
SF-STI34104		Not replaceable		1
SF-STIV3410		Not replaceable		1
SF-STI34108		Not replaceable		1
SF-STI34109		Not replaceable		1
SF-STI34101	NiMh AA Rechargable	1.5V		2
SF-STI34188		Not replaceable		1
SF-STI34301	CR123 Lithium	3V	ZI-EL123APBP	1
SF-STI34401	CR123 Lithium	3V	ZI-EL123APBP	1
SF-STI34501	CR123 Lithium	3V	ZI-EL123APBP	1
SF-STI34601	CR2032 Lithium Coin Cell	3V	ZI-ECR2032	1
SF-STI34701	CR123 Lithium	3V	ZI-EL123APBP	1
SF-STI34751	CR123 Lithium	3V	ZI-EL123APBP	1
SF-STI620WIR	9V Alkaline	9V	ZI-EN22	1
SF-STI6400WI	9V Alkaline	9V	ZI-EN22	1
SF-STI6402WI	9V Alkaline	9V	ZI-EN22	1
SF-STI34103		Not replaceable		1
SF-STI34105		Not replaceable		1
SF-STI34106	A27 Alkaline	12V, 18 mAh	ZI-A27BPZ	1
SF-STI30104		Not replaceable		1
SF-STI30105		Not replaceable		1
SF-STI30106		Not replaceable		1

APC (American Power Conversion)

ADI Part #	Application	Description	Rating VA	Back-Up Time (Minutes)	Load	Topology	Output Signals	Warranty
2G-BE350G	Sec./CCTV, Data/Tel-Com VoIP, Home Networks	8 Outlets (4 surge only, 3 Batt. Back-up), Data/Tel Surge Protect	350VA	10 (at 100W)	200	Standby	Step Approx Wave	3 Years
2G-BE550G	Sec./CCTV, Data/Tel-Com VoIP, Home Networks	9 Outlets (4 surge only, 3 Batt Back-up), Data/Tel Surge Protect	550VA	28 (at 100W)	330	Standby	Step Approx Wave	3 Years
2G-BH500NET	Structured Wiring, VoIP, Home Networks	Remote Manage, Batt Back-up Surge Protect. Outlets, Versatile Mnt.	500VA	29 (at 100W)	300	Standby	Step Wave	3 Years
2G-BK500	PC, Workstation, DVR, Tel-Com	6 Outlets (3 surge only, 3 Batt Back-up), Data/Tel Surge Protect, AVR	500VA	14 (at 150W)	300	Line Interactive	Step Wave	3 Years
2G-BR700G	Sec./CCTV, Data/Tel-Com VoIP, Home Networks	6 Outlets (3 surge only, 3 Batt Back-up), Data/Tel Surge Protect, AVR	700VA	20 (at 150W)	420	Line Interactive	Step Approx Wave	3 Years
2G-BR1000G	Data/Tel-Com, Home Networks	8 Outlets (4 surge only, 4 Batt Back-up), Data/Tel Surge Protect, AVR	1000VA	39 (at 150W)	540	Line Interactive	Step Wave	3 Years
2G-BR1300G	PC, Workstation, DVR, Tel-Com	10 Outlets (5 surge only, 5 Batt Back-up), USB/Serial Connect, Versatile Mnt, AVR	1300VA	21 (at 300W)	780	Line Interactive	Step Wave	3 Years
2G-BR1500G	Data/Tel-Com, Home Networks	10 Outlets (5 surge only, 5 Batt Back-up), USB/Serial Connect, Versatile Mnt, AVR	1500VA	21 (at 300W)	865	Line Interactive	Step Wave	3 Years
2G-H15BLK	Home Theater	12 Outlets, Power Conditioner w/AVR, EMI/RFI Filtration	1440VA	N/A	1400	N/A	N/A	5 Years
2G-H10BLK	Home Theater	12 Outlets, Power Conditioner w/AVR, EMI/RFI Filtration	1000VA	N/A	1000	N/A	N/A	5 Years
2G-J15BLK	Home Theater	12 Outlets, Power Cond. With Batt. Back-up, AVR, EMI/RFI Filtration	1440VA	14 (at 440W)	865	Line Interactive	Step Approx Wave	2 Years
2G-J10BLK	Home Theater	12 Outlets, Power Cond. With Batt. Back-up, AVR, EMI/RFI Filtration	1000VA	18 (at 300W)	600	Line Interactive	Step Approx Wave	2 Years
2G-SMT750	Sec./CCTV, Data/Tel-Com VoIP, Home Networks	8 Outlets, AVR, Remote Manage, Battery Back-up, Versatile Mounting	750VA	50 (at 100W)	500	Line Interactive	Sine Wave	3 Years
2G-SMX1000	Sec./CCTV, Data/Tel-Com VoIP, Home Networks	8 Outlets, AVR, Remote Manage, Battery Back-up, Versatile Mounting	1000VA	84 (at 200W)	800	Line Interactive	Sine Wave	3 Years
2G-SMT1500	Sec./CCTV, Data/Tel-Com VoIP, Home Networks	8 Outlets, AVR, Remote Manage, Battery Back-up, Versatile Mounting	1500VA	24 (at 490W)	980	Line Interactive	Sine Wave	3 Years
2G-SMT1500R-M2U	Sec./CCTV, Data/Tel-Com VoIP, Home Networks	8 Outlets, AVR, Remote Manage, Rack Mnt. Batt Back-up, RS-232/ USB Comm	1500VA	25 (at 500W)	1000	Line Interactive	Sine Wave	3 Years
2G-SMT3000	Sec./CCTV, Data/Tel-Com VoIP, Home Networks	8 Outlets, AVR, Remote Manage, Battery Back-up, RS-232 Comm.	3000VA	14 (at 1400W)	2700	Line Interactive	Sine Wave	3 Years

Direct UPS

ADI Part #	Application	Description	Rating VA	Back-Up Time (Minutes)	Load	Topology	Output Signals	Warranty
4A-JPX1500VA	PC, CCTV, DVR, VoIP, Tel-Com, Network, Server Home Theater	Jupiter SmartX 1.5Kva Pure Sinewave	1500VA	Standard	1000	Line Interactive with AVR Pure Sinewave	Sinewave	2 Yr. Warranty, 1 Yr. on Battery
4A-JPX2000VA	PC, CCTV, DVR, VoIP, Tel-Com, Network, Server Home Theater	Jupiter SmartX 2.0Kva Pure Sinewave	2000VA	Standard	1300	Line Interactive with AVR Pure Sinewave	Sinewave	2 Yr. Warranty, 1 Yr. on Battery
4A-JPX3000VA	PC, CCTV, DVR, VoIP, Tel-Com, Network, Server Home Theater	Jupiter SmartX 3.0Kva Pure Sinewave	3000VA	Standard	2100	Line Interactive with AVR Pure Sinewave	Sinewave	2 Yr. Warranty, 1 Yr. on Battery
4A-JPX1500RM	PC, CCTV, DVR, VoIP, Tel-Com, Network, Server Home Theater	Jupiter SmartX 1.5Kva RM Pure Sinewave	1500VA	Standard	1000	Line Interactive with AVR Pure Sinewave	Sinewave	2 Yr. Warranty, 1 Yr. on Battery
4A-JPX2000RM	PC, CCTV, DVR, VoIP, Tel-Com, Network, Server Home Theater	Jupiter SmartX 2.0Kva RM Pure Sinewave	2000VA	Standard	1300	Line Interactive with AVR Pure Sinewave	Sinewave	2 Yr. Warranty, 1 Yr. on Battery
4A-JPX3000RM	PC, CCTV, DVR, VoIP, Tel-Com, Network, Server Home Theater	Jupiter SmartX 3.0Kva RM Pure Sinewave	3000VA	Standard	2100	Line Interactive with AVR Pure Sinewave	Sinewave	2 Yr. Warranty, 1 Yr. on Battery
4A-JPX1520EB	PC, CCTV, DVR, VoIP, Tel-Com, Network, Server Home Theater	Jupiter Smart 1.5/2.0K External Battery Module	N/A	N/A	N/A	N/A	N/A	2 Yr. Warranty, 1 Yr. on Battery

Power Supply Comparison Chart

Direct UPS (Cont'd)

ADI Part #	Application	Description	Rating VA	Back-Up Time (Minutes)	Load	Topology	Output Signals	Warranty
4A-DP600	PC, Workstation	Direct Power 600va Off-Line UPS	600VA	Standard	300	Standby w/Filter	Step Wave	
4A-XP600	PC, Workstation	600va Off-Line UPS	600VA	Standard	300	Standby w/Filter	Step Wave	
4A-VP600	PC, Workstation	Line Interactive UPS VP600va with AVR	600VA	Standard	360		Step Wave	
4A-VP800		Line Interactive UPS VP800va with AVR	800VA	Standard	480		Step Wave	
4A-VP1000		Line Interactive UPS VP1000va with AVR	1000VA	Standard	600		Step Wave	
4A-VP1400		Line Interactive UPS VP1400va with AVR	1400VA	Standard	840		Step Wave	
4A-VP2000		Line Interactive UPS VP2000va with AVR	2000VA	Standard	1200		Step Wave	
4A-SP6S	Electronic Device	6 Outlet Surge Suppressor with Phone/Fax/Modem Protection	N/A	N/A	N/A	N/A	N/A	3 Years
4A-SP6X	Electronic Device	6 Outlet Surge Suppressor with Phone/Fax/Modem Protection	N/A	N/A	N/A	N/A	N/A	3 Years
4A-SP9X	Electronic Device	9 Outlet Surge Suppressor with Phone/Fax/Modem Protection	N/A	N/A	N/A	N/A	N/A	2 Years
4A-SP10X		Full Line Surge Suppressor with Phone/Fax/Modem Protection	N/A	N/A	N/A	N/A	N/A	2 Years

Ditek

ADI Part #	Application	Description	Rating VA	Back-Up Time (Minutes)	Load	Topology	Output Signals	Warranty
DK-BU600PLUS	AC Power Backup	7 Outlets, Cat5 Protection, Xfmr Spaced, Shutdown Software, 6 Ft. Cord	600VA	12 - 22	330	Standby		2 Years
DK-BU1000	AC Power Backup	8 Outlets, Cat 5 Protection, Filtering Shutdown Software	1000VA	55	560	Standby	USB	2 Years
DK-BU1200	AC Power Backup	8 Outlets, Cat 5 Protection, Filtering Shutdown Software	1200VA	70	670	Standby	USB	2 Years
DK-BU1200AVR	UPS	6 Outlets, AVR, Cat 5 Filtering, Rack/Floor, Shutdown Software	1200VA	135	950	Line Interactive	USB	2 Years
DK-1500AVR	UPS	6 Outlets, AVR, Cat 5 Filtering, Rack/Floor, Shutdown Software	1500VA	160	1400	Line Interactive	USB	2 Years
DK-2200PS	UPS	6 Outlets, AVR, Cat 5 Filtering, 2 Computer Shutdown Software	2200VA	200	1500	Interactive/ Pure Sinewave	USB	2 Years

Minuteman/Para

ADI Part #	Application	Description	Rating VA	Back-Up Time (Minutes)	Load	Topology	Output Signals	Warranty
R1-EN400	Sec./CCTV, Data/Tel/VOIP Small Networks, PCs	6 Outlets (3 Battery, 3 Surge Only) Data/Tel. Surge Protection	400VA	18	200	Standby	Simulated Sine Wave	3 Years
R1-EN600	Sec./CCTV, Data/Tel/VOIP Small Networks, PCs	6 Outlets (3 Battery, 3 Surge Only) Data/Tel. Surge Protection	600VA	30	300	Standby	Simulated Sine Wave	3 Years
R1-ETR500	Sec./CCTV, Data/Tel/VOIP Small Networks, PCs	8 Outlets (4 Battery, 4 Surge Only) (USB) Phone Surge Protection	500VA	17	300	Line Interactive	Simulated Sine Wave	3 Years
R1-ETR700	Sec./CCTV, Data/Tel/VOIP Small Networks, PCs	8 Outlets (4 Battery, 4 Surge Only) (USB) Phone Surge Protection	700VA	12	420	Line Interactive	Simulated Sine Wave	3 Years
R1-ETR1000	Sec./CCTV, Data/Tel/VOIP Small Networks, PCs	8 Outlets (4 Battery, 4 Surge Only) (USB) Phone Surge Protection	1000VA	33	600	Line Interactive	Simulated Sine Wave	3 Years
R1-ETR1500	Sec./CCTV, Data/Tel/VOIP Small Networks, PCs	8 Outlets (4 Battery, 4 Surge Only) (USB) Phone Surge Protection	1500VA	52	900	Line Interactive	Simulated Sine Wave	3 Years
R1-E750RT2U	Sec./CCTV, Data/Tel/VOIP Small Networks, PCs	6 Battery, 2 Surge only Outlets Data/Tel. Surge Protection	750VA	77	600	Line Interactive	True Sine Wave	3 Years

Minuteman/Para (Cont'd)

ADI Part #	Application	Description	Rating VA	Back-Up Time (Minutes)	Load	Topology	Output Signals	Warranty
R1-E1000RT2U	Sec./CCTV, Data/Tel/VOIP Small Networks, PCs	6 Battery, 2 Surge only Outlets Data/Tel. Surge Protection	1000VA	72	800	Line Interactive	True Sine Wave	3 Years
R1-E1500RT2U	Sec./CCTV, Data/Tel/VOIP Networks, Servers	6 Battery, 2 Surge only Outlets Data/Tel. Surge Protection	1500VA	30	1200	Line Interactive	True Sine Wave	3 Years
R1-E2000RT2U	Sec./CCTV, Data/Tel/VOIP Networks, Servers	6 Battery, 2 Surge only Outlets Data/Tel. Surge Protection	2000VA	22	1760	Line Interactive	True Sine Wave	3 Years
R1-E3000RT2U	Sec./CCTV, Data/Tel/VOIP Networks, Servers	6 Battery, 2 Surge only Outlets Data/Tel. Surge Protection	3000VA	16	2650	Line Interactive	True Sine Wave	3 Years
R1-E750RTXL2U	Sec./CCTV, Data/Tel/VOIP Small Networks, PCs	6 Battery, 2 Surge only Outlets, Battery Pack Capable, Data/Tel. Surge Protection	750VA	77	600	Line Interactive	True Sine Wave	3 Years
R1-E1000RTXL2U	Sec./CCTV, Data/Tel/VOIP Small Networks, PCs	6 Battery, 2 Surge only Outlets, Battery Pack Capable, Data/Tel. Surge Protection	1000VA	72	800	Line Interactive	True Sine Wave	3 Years
R1-E1500RTXL2U	Sec./CCTV, Data/Tel/VOIP Networks, Servers	6 Battery, 2 Surge only Outlets, Battery Pack Capable Data/Tel. Surge Protection	1500VA	30	1200	Line Interactive	True Sine Wave	3 Years
R1-E2000RTXL2U	Sec./CCTV, Data/Tel/VOIP Networks, Servers	6 Battery, 2 Surge only Outlets, Battery Pack Capable, Data/Tel. Surge Protection	2000VA	22	1760	Line Interactive	True Sine Wave	3 Years
R1-E3000RTXL2U	Sec./CCTV, Data/Tel/VOIP Networks, Servers	6 Battery, 2 Surge only Outlets, Battery Pack Capable, Data/Tel. Surge Protection	3000VA	16	2650	Line Interactive	True Sine Wave	3 Years
R1-MMS780R	Sec./CCTV, Data/Tel/VOIP Networks, Servers	8 Outlets (6 Rotating, 2 Fixed) UL Approved	2160 Joules	N/A	N/A	N/A	N/A	Lifetime
R1-MMS7100RT	Sec./CCTV, Data/Tel/VOIP Networks, Servers	10 Outlets (5 Rotating, 5 Fixed) UL Approved	2880 Joules	N/A	N/A	N/A	N/A	Lifetime
R1-MMS7120RC	Sec./CCTV, Data/Tel/VOIP Small Networks, Servers	12 Outlets (8 Rotating, 4 Fixed) Tel. & Coax Surge UL Approved	4320 Joules	N/A	N/A	N/A	N/A	Lifetime
R1-MMS760RCT	Sec./CCTV, Data/Tel/VOIP Small Networks, Servers	6 Rotating, Tel. & Coax Surge Tel. Surge, UL Approved	2160 Joules	N/A	N/A	N/A	N/A	Lifetime
R1-PRO1000RT	Sec./CCTV, Data/Tel/VOIP Small Networks, PCs	8 Outlets (6 Battery, 2 Surge Only) Data/Tel. Surge Protection	1000VA	17	700	Line Interactive	Simulated Sine Wave	3 Years
R1-PRO1500RT	Sec./CCTV, Data/Tel/VOIP Small Networks, PCs	8 Outlets (6 Battery, 2 Surge Only) Data/Tel. Surge Protection	1500VA	16	1050	Line Interactive	Simulated Sine Wave	3 Years
R1-MMS362P	Sec./CCTV, Data/Tel/VOIP Small Networks, PCs	6 Oulet Surge Supressor "Twin Pack" UL Approved	241 Joules	N/A	N/A	N/A	Simulated Sine Wave	Lifetime
R1-MMS130RC	Sec./CCTV, Data/Tel/VOIP Small Networks, PCs	3 Oulet/1 Rotating Outlet & 1 Rotating Coax UL Approved	1080 Joules	N/A	N/A	N/A	N/A	Lifetime
R1-MMS660S	Sec./CCTV, Data/Tel/VOIP Small Networks, PCs	6 Fixed Outlet UL Approved	540 Joules	N/A	N/A	N/A	N/A	Lifetime
R1-MMS664S	Sec./CCTV, Data/Tel/VOIP Small Networks, PCs	6 Fixed Outlet UL Approved	1080 Joules	N/A	N/A	N/A	N/A	Lifetime
R1-MMS686SCT	Sec./CCTV, Data/Tel/VOIP Small Networks, PCs	8 Oulet Surge Supressor w/Coax & Phone LIne Protection UL Approved	3420 Joules	N/A	N/A	N/A	N/A	Lifetime
R1-MMS110	Sec./CCTV, Data/Tel/VOIP Small Networks, PCs	Single Outlet Surge Suppressor	540J	N/A	N/A	N/A	N/A	Lifetime
R1-MMS570	Sec./CCTV, Data/Tel/VOIP Small Networks, PCs	7 Outlet Ruggedized Surge Suppressor	1440J	N/A	N/A	N/A	N/A	Lifetime
R1-MMS370	Sec./CCTV, Data/Tel/VOIP Small Networks, PCs	7 Outlet Surge Suppressor with "child safety" covers	1080J	N/A	N/A	N/A	N/A	Lifetime
R1-MMS370T	Sec./CCTV, Data/Tel/VOIP Small Networks, PCs	7 Outlet Surge Suppressor w/"child safety" covers & phone line protect.	1440J	N/A	N/A	N/A	N/A	Lifetime
R1-MMS362P	Sec./CCTV, Data/Tel/VOIP Small Networks, PCs	Pair of 6 Outlet Surge Suppressors	241J	N/A	N/A	N/A	N/A	Lifetime
R1-MMS5130C	Sec./CCTV, Data/Tel/VOIP Small Networks, PCs	3 Outlet/1 Rotating Outlet, 1 Rotating Coax Slimeline Wall-tap	1080J	N/A	N/A	N/A	N/A	Lifetime
R1-EN750	Sec./CCTV, Data/Tel/VOIP Small Networks, PCs	8 Outlets (4 battery, 4 surve only), Data/Tel Protection	750J	18	400	Standby	Simulated Sine Wave	3 Years
R1-EN900	Sec./CCTV, Data/Tel/VOIP Small Networks, PCs	8 Outlets (4 battery, 4 surve only), Data/Tel Protection	900VA	19	500	Standby	Simulated Sine Wave	3 Years

Power Supply Comparison Chart

Tripp-Lite

ADI Part #	Application	Description	Rating VA	Back-Up Time (Minutes)	Load	Topology	Output Signals	Warranty
TC-AVR550U	PCs and Workstations	Ultra Compact Flatpack w/8 Outlets, USB, Tel/DSL and AVR	550VA	10 half load/ 3 full load	300	Line Interactive	Simulated Sine Wave	3 Years
TC-AVR750U	PCs and Workstations	Ultra Compact Flatpack w/12 Outlets, USB, Tel/DSL and AVR	750VA	10 half load/ 3 full load	450	Line Interactive	Simulated Sine Wave	3 Years
TC-AVR900U	PCs and Workstations	Ultra Compact Flatpack w/ 12 Outlets, USB, Tel/DSL and AVR	900VA	11 half load/ 3 full load	480	Line Interactive	Simulated Sine Wave	3 Years
TC-INTNT550U	PCs and Workstations	Ultra Compact Flatpack w/ 8 Outlets, USB, Tel/DSL	550VA	10 half load/ 4 full load	300	Standby	Simulated Sine Wave	3 Years
TC-INTNT750U	PCs and Workstations	Ultra Compact Flatpack w/ 12 Outlets, USB, Tel/DSL	750VA	11 half load/ 2 full load	450	Standby	Simulated Sine Wave	3 Years
TC-INTNT900U	PCs and Workstations	Ultra Compact Flatpack w/ 12 Outlets, USB, Tel/DSL	900VA	10 half load/ 3 full load	480	Standby	Simulated Sine Wave	3 Years
TC-OMNIVS800	PCs and Workstations, A/V Equipment	Tower UPS w/ 7 outlets, USB, Tel/DSL and AVR	800VA	12 half load/ 4 full load	475	Line Interactive	Simulated Sine Wave	3 Years
TC-OMNIVS1000	PCs and Workstations, A/V Equipment	Tower UPS w/ 8 outlets, USB, Tel/DSL and AVR	1000VA	14 half load/ 4 full load	500	Line Interactive	Simulated Sine Wave	3 Years
TC-OMNIVS1500	PCs and Workstations, A/V Equipment	Tower UPS w/ 8 outlets, USB, Tel/DSL/Ethernet and AVR	1500VA	9 half load/ 4 full load	940	Line Interactive	Simulated Sine Wave	3 Years
TC-OMNIVS1500XL	PCs and Workstations, A/V Equipment	Tower UPS w/ 8 outlets, USB, Tel/DSL/Ethernet, AVR and Expandable runtime	1500VA	13 half load/ 5 full load	940	Line Interactive	Simulated Sine Wave	3 Years
TC-OMNI650LCD	PCs and Workstations, A/V Equipment	Tower UPS w/ 8 outlets, USB, LCD Display and AVR	650VA	14 half load/ 4 full load	350	Line Interactive	Simulated Sine Wave	3 Years
TC-OMNI900LC	PCs and Workstations, A/V Equipment	Tower UPS w/ 8 outlets, USB, LCD Display and AVR	900VA	10 half load/ 3 full load	475	Line Interactive	Simulated Sine Wave	3 Years
TC-SMT1000LCD	PCs and Workstations, A/V Equipment	Tower UPS w/ 8 outlets, USB, Tel/DSL, Coax, LCD Display and AVR	1000VA	10 half load/ 3 full load	500	Line Interactive	Simulated Sine Wave	3 Years
TC-SMT1200LCD	PCs and Workstations, A/V Equipment	2U Rack/Tower UPS w/ 8 outlets, USB, Tel/DSL/Ethernet, LCD Display and AVR	1200VA	12 half load/ 4 full load	700	Line Interactive	Simulated Sine Wave	3 Years
TC-S1300LCDT	PCs and Workstations, AV Equipment	Tower UPS w/ 8 outlets, USB, Tel/DSL/Ethernet, LCD display and AVR	1300VA	10 half load/ 1.5 full load	720	Line Interactive	Simulated Sine Wave	3 Years
TC-S1500LCD	PCs and Workstations, A/V Equipment	2U Rack/Tower UPS w/8 outlets, USB, Tel/DSL/Ethernet, LCD Display and AVR	1500VA	13 half load/ 4 full load	900	Line Interactive	Simulated Sine Wave	3 Years
TC-SMT1500LCDT	PCs and Workstations, AV Equipment	Tower UPS w/ 10 outlets, USB, Tel/DSL/Ethernet, LCD display and AVR	1300VA	10 half load/ 1.6 full load	900	Line Interactive	Simulated Sine Wave	3 Years
TC-SMART500RT1U	Data/Tel/VoIP, Networks, Security, Servers	SmartPro-Rackmount 1U w/7 outlets	500VA	15 half load/ 3 full load	300	Line Interactive	Simulated Sine Wave	2 Years

Tripp-Lite (Cont'd)

ADI Part #	Application	Description	Rating VA	Back-Up Time (Minutes)	Load	Topology	Output Signals	Warranty
TC-SMART750RM1U	Data/Tel/VoIP, Networks, Security, Servers	SmartPro-Rackmount 1U w/6 outlets	750VA	16 half load/ 5 full load	600	Line Interactive	True Sine Wave	2 Years
TC-SMART1000RM2U	Data/Tel/VoIP, Networks, Security, Servers	SmartPro-Rackmount 2U w/6 outlets	1000VA	15 half load/ 5 full load	800	Line Interactive	True Sine Wave	2 Years
TC-3000RMX2U	Data/Tel/VoIP, Networks, Security, Servers	SmartPro-Rackmount 2U w/9 outlets	3000VA	10 half load/ 3 full load	2880	Line Interactive	True Sine Wave	2 Years
TC-SMT2600RM	Data/Tel/VoIP, Networks, Security, Servers	SmartPro-Rackmount 2U w/9 outlets	2600VA	11 half load/ 4 full load	2100	Line Interactive	True Sine Wave	2 Years
TC-1500RMXUA	Data/Tel/VoIP, Networks, Security, Servers	SmartPro-Rackmount 2U w/8 outlets	1500VA	14 half load/ 5 full load	1350	Line Interactive	True Sine Wave	2 Years
TC-SMART1500	Data/Tel/VoIP, Networks, Security, Servers	SmartPro Tower UPS w/6 outlets, USB, LED lights & AVR	1500VA	20 half load/ 7 full load	980	Line Interactive	Simulated Sine Wave	2 Years
TC-SMART1000RM1U	Data/Tel/VoIP, Networks, Security, Servers	SmartPro-Rackmount 1U w/6 Outlets	1000VA	14 half load/ 4 full load	800	Line Interactive	True Sine Wave	2 Years
TC-SMART1500RM2U	Data/Tel/VoIP, Networks, Security, Servers	SmartPro-Rackmount 2U w/8 outlets	1500VA	13 half load/ 5 full load	1350	Line Interactive	True Sine Wave	2 Years
TC-SMART2200RMXL2U	Data/Tel/VoIP, Networks, Security, Servers	SmartPro-Rackmount 1U w/8 Outlets	2200 VA	12 half load/ 5 full load	1920	Line Interactive	True Sine Wave	2 Years
TC-SMART3000RM2U	Data/Tel/VoIP, Networks, Security, Servers	SmartPro-Rack/Tower 2U w/8 Outlets	3000 VA	10 half load/ 4 full load	2250	Line Interactive	True Sine Wave	2 Years
TC-SU1000RTXL2UA	Data/Tel/VoIP, Networks, Security, Servers	SmartOnline-Rackmount 2U w/6 Outlets	1000VA	14 half load/ 5 full load	800	Online	True Sine Wave	2 Years
TC-SU1500RTXL2UA	Data/Tel/VoIP, Networks, Security, Servers	SmartOnline-Rackmount 2U w/6 Outlets	1500VA	14 half load/ 5 full load	1200	Online	True Sine Wave	2 Years
TC-SU2200RTXL2UA	Data/Tel/VoIP, Networks, Security, Servers	SmartOnline-Rackmount 2U w/7 Outlets	2200VA	14 half load/ 5 full load	1600	Online	True Sine Wave	2 Years
TC-SU3000RTXL3U	Data/Tel/VoIP, Networks, Security, Servers	SmartOnline-Rackmount 2U w/7 Outlets	3000VA	14 half load/ 5 full load	2400	Online	True Sine Wave	2 Years
TC-SU15LCD2U	Data/Tel/VoIP, Networks, Security, Servers	SmartOnline-Rackmount 2U w/6 Outlets, 0.9 Power Factor	1500VA	14 half load/ 4.2 full load	1350	Online	True Sine Wave	2 Years
TC-SU22LCD2U	Data/Tel/VoIP, Networks, Security, Servers	SmartOnline-Rackmount 2U w/7 Outlets, 0.9 Power Factor	2200VA	12 half load/ 4 full load	1800	Online	True Sine Wave	2 Years
TC-SU3KLCD3U	Data/Tel/VoIP, Networks, Security, Servers	SmartOnline-Rackmount 3U w/9 Outlets, 0.9 Power Factor	3000VA	11 half load/ 4 full load	2700	Online	True Sine Wave	2 Years

Turn to ADI for your Systems Support Assistance

Provided FREE of Charge!

Design and installation of today's diverse systems can be a challenge to any low voltage professional. Don't let integration issues drain your budget and your resources.

ADI's systems support specialists know your business, and are proficient in all key technology areas including Residential and Commercial AV, Video Surveillance, Fire, Telephony, Wire & Commercial Structured Cable, Access and more. Call our team today and discover why so many dealers are turning to ADI to access the technical expertise and customer care your business requires.

US: 1.800.234.7971 or Canada: 1.877.797.4226

US:	English support:	8am – 7pm EST
Canada:	English support:	8am – 8pm ET
	French support:	8am – 5pm ET *(Canada only)*

Pre-Sales Application Assistance – Complete Systems Integration Support
Dedicated IP Solutions Team – Project Registration – Home Theater – Whole House Audio
Commercial AV and Structured Cable Specialists
Networking Specialists – Microsoft MCSE Certification – A+ Certification

more products » more locations » more savings » more support

ADI GLOBAL DISTRIBUTION

intrusion & z-wave® | fire | video surveillance | access control | power | audio/video | networking | communications | central vacuum | tools & hardware | wire & cable | structured wiring

Visit us online @ **adiglobal.com**